

610.02 0572

This issue contains the DEC. INDEX and Title-pages
for Vols. ~~14, 15, 16~~ and 17

CURRENT LIST of MEDICAL LITERATURE

Vol. 17

December 30, 1949

No. 21-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY
Washington, D. C.

EDITOR'S NOTE

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abnorm. abnormalities	in inf. & child. in infants and children
accomm. & refrac. accommodation and refraction	indust. industrial
addict. addiction	infarc. infarction
admin. & dos. administration and dosage	infect. infection, infectious
admin. & org. administration and organization	inflamm. inflammation
anat. & histol. anatomy and histology	inj. injuries, injurious
appar. apparatus	innerv. innervation
artif. artificial	insuff. insufficiency
bact. bacteriology	med. medical, medicine
bibliogr. bibliography	ment. mental
bod. body, bodies	metab. metabolism
chem. chemistry	morphol. morphology
comm. communicable	mortal. mortality
compl. complications	nerv. nervous
cond. conditions	obst. obstetrics
congen. congenital	obstruct. obstruction, obstructive
defic. deficiency	pathol. pathology, pathological
deform. deformities	perfor. perforation
degen. degeneration	phys. physical
dent. dental, dentistry	physiol. physiology, physiologic
determ. determination	pois. poisoning
develop. development	postop. postoperative
diag. diagnosis, diagnostic	pregn. pregnancy
dis. diseases	preop. preoperative
disloc. dislocations	prep. preparation, preparations
disord. disorders	preserv. preservation
econ. economic	prev. prevention
educ. education	prod. production
eff. effects	progn. prognosis
embryol. embryology	progr. progress
epidemiol. & statist. epidemiology and statistics	psychiat. psychiatry, psychiatric
etiol. & pathogen. etiology and pathogenesis	psychol. psychological, psychology
exam. examination	pub. public
excis. excision	regen. regeneration
exper. experimental	roent. roentgenography
for. bod. foreign bodies	rupt. rupture
form. formation	san. sanitation
fract. fractures	seq. sequels
Gt. Brit. Great Britain	serv. services
gyn. gynecology	soc. social
hemorrh. hemorrhage	standard. standardization
hered. heredity	strict. stricture
hist. history	surg. surgery, surgical
hosp. hospitals, hospitalization	ther. therapy
hyg. hygiene	tox. toxicity
immun. immunity	train. training
	transm. transmission
	transpl. transplantation
	traum. traumatic
	U. S. United States
	wds. wounds

SUBJECT INDEX

Vol. 17, Nos. 18-21 (cols. 985-1192)

December 30, 1949

- ABDERHALDEN REACTION, 1127f
 ABDOMEN, abscess 1011r; acute cond. 1113d, 1171g; dis. 1066a; gangrene 1076o; pain 1011w, 1064k; pressure in 1188n; surg. 1081u, 1159q, 1187c; tumors 1091c; wds. & inj. 1012f
 ABNORMALITIES AND DEFORMITIES, 995s, 1023e, 1095v, 1180b
 ABORTION, 1105n, 1176w; induced 1067t, 1113u; infect. 1004u, 1039w; ther. 1059q, 1060t; tubal 1040f
 ABSCESS, diag. 1165f; ther. 1006n
 ACCIDENTS, 1011n, 1017v; automobile 1179h
 ACETALDEHYDE, tox. 1113g
 ACID, acetic 1054b, 1054e; adenylpyrophosphoric 995h, 1052t, 1052v; alternaric 1058k; aminoacetic 1054e; p-aminobenzoic 1008t, 1068o, 1092j, 1106r; diamylacetic 1052s; fatty 1052e, 1053a, 1053u, 1059a; glutamic 1052r; hiptagenic 1103p; hydrochloric 1083t; lactic 1079h; nitric 1184d; nitropropionic 1103p; oxalic 1150p; phenylglucuronic 1053n, 1147o; phenylsulfuric 1053n, 1147o; propionic 1104j; pterolic 1103o; pyruvic 1079h; saccharic 1103n; salicylic 1184f; succinic 1053g, 1110u; toluic 1053-i; trichloroacetic 1191v; undecylenic 1001a
 ACID-BASE EQUILIBRIUM, 1183t
 ACIDOSIS, ther. 1123u
 ACNE, 1168n; ther. 1121h
 ACRIDINE DYES, 1031e; eff. 1029d
 ACTINOMYCES, 994k
 ACTINOMYCOSIS, 1077j; abdominal 1178h; cervicofacial 1076s; renal 1190n
 ACTIVITY, 1017a
 ADDISON'S DISEASE, 1057g, 1126j, 1126p; ther. 989r, 1071j, 1164v
 ADENOIDS, 1074r; excis. 1181n
 ADHESIVES, 1058q
 ADOLESCENCE, 1013m; ment. aspects 1013n
 ADOPTIONS, 1135b
 ADRENAL PREPARATIONS, 1010k, 1013w, 1017m, 1027h, 1027r, 1048i, 1056w, 1057a, 1057b, 1102b, 1123t, 1151t; eff. 989q, 989r, 990f, 1007f, 1056h, 1056-i, 1056q, 1127p, 1165p; metab. 1057f; stand-ard. 1057c; ther. 1071j; tox. 990k
 ADRENALS, 1056u, 1056v, 1078i; anat. & histol. 1057d; dis. 1177o; excis. 1056h, 1058n, 1057a; hemorrh. 1091v; pathol. 1056g, 1181u; physiol. 1057d, 1057f, 1075p, 1123c, 1164v, 1171p; secretion 1183p; tumors 1057e, 1167f
 AEROSOLS, 994s, 1049i
 AGAR, 993a
 AGE, 1184w
 AGGLUTININS AND AGGLUTINATION, 1108s, 1134p; hemagglutination 1000k, 1013q, 1064b, 1152d, 1167b, 1169s
 AIR, bact. 1108t; impurities 1065s, 1156-i
 ALBUMIN, 1176e
 ALBUMINURIA, 999a
 ALCOHOLISM, 1124v, 1156s, 1175j, 1179m; ther. 1011d, 1011i, 1023k, 1130u, 1171h
 ALCOHOLS, 993b; furturyl 1047f
 ALKALOIDS, 991k, 1136f
 ALKALOSIS, ther. 1083t
 ALTITUDE, high 1079f, 1079h
 ALUMINUM AND ALUMINUM COMPOUNDS, 1118u, 1165r; determ. 992c; eff. 1021h; ther. 1021i
 AMEBIASIS, epidemiol. & statist. 1124i; hepatic 1069g; ther. 1041u, 1056a, 1124c, 1143m, 1143n; vesical 1069g
 AMENORRHEA, 1082-i, 1163u
 AMINES, 1038k, 1148-i; sympathomimetic 1027p
 AMINO ACIDS, 994e, 1054g, 1094a, 1097n, 1160b; de-term. 992b; eff. 1184p
 AMINOPTERIN, 1078n, 1123c
 AMMONIA AND AMMONIUM COMPOUNDS, 1174f; ammoniumchloride 1083t; quaternary ammonium compounds 992r, 999v, 1045d, 1062p, 1063a
 AMPHETAMINE, 1014u
 AMPUTATION, 1040n, 1085r, 1086j, 1086r, 1128o; technic 1036r, 1077q, 1086j, 1142f
 AMPUTATION-STUMPS, 1001b, 1111s
 AMYLOIDOSIS, 986n, 1112g
 ANAPHYLAXIS AND ALLERGY, 988f, 1002f, 1003q, 1017g, 1049j, 1049k, 1049-i, 1049n, 1049q, 1072d, 1080f, 1100q, 1161-i, 1178c, 1181p; etiol. & patho-gen. 1049e, 1049f, 1049h; manifestation 1001q, 1025s, 1049d, 1055n, 1079s, 1109e, 1126n, 1133r, 1160n, 1169p; ther. 1049m, 1120o, 1127f, 1189h
 ANATOMY, 1097e, 1134o; teaching 1099j
 ANDROGENS, 1173p; eff. 989v, 1056d, 1096s, 1099d, 1172r; ther. 1006m, 1169n
 ANEMIA, 1162i, 1162j, 1171s; aplastic 1013d, 1026q, 1163g; blood in 1155k; compl. & seq. 1032d; diag. 1083j; erythroblastic 1155m; etiol. & patho-gen. 1017n, 1158o; hemolytic 1001u, 1010m, 1080c, 1098e, 1155c, 1155d; hyperchromic 1023h, 1073e; hypochromic 999m, 1010m, 1021r, 1116r; in pregn. & puerperium 1080c; macrocytic 1127o; sickle cell 1032d, 1070r; splenic 1079p; ther. 993u, 1074-i, 1155t, 1171f
 ANEMIA, PERNICIOUS, 1010m, 1062r, 1155m, 1172p, 1174f; blood in 1012v; compl. & seq. 1001j, 1110b; ther. 1015j, 1055a, 1079o, 1166g
 ANESTHESIA, 985e, 987h, 1005a, 1010o, 1015a, 1021a, 1032m, 1033g, 1038u, 1038b, 1074e, 1074h, 1074i, 1123k, 1171-i, 1186n; admin. & dos. 1078b; appar. 985g; barbital & barbital derivatives 985f, 1084q, 1121j, 1138t, 1149j, 1180q; cocaine 1044e; compl. & seq. 1183t; conduction 1021b; curare in 985f, 1007d, 1007g, 1027o, 1084t, 1106b; ether 985g, 1139b; in dent. 1034e, 1055d, 1149j; in gyn. & obst. 985d, 996h, 1007g, 1013-i, 1040f, 1069k, 1106b, 1110r, 1123n, 1154p, 1154q; in inf. & child. 1167m; intratracheal 1084r, 1167o; intravenous 1019j; local & regional 1044p; methyline 1040f; nitrous oxide 1054o, 1123n, 1149j; premedication 1167n; procaine & procaine compounds 1022h, 1022k, 1149e; spinal 985d, 1013-i, 1043w, 1069k, 1110r, 1142r, 1158s; teaching 1074f, 1074g; trichloroethylene 1003e, 1154p; xylocaine 1055c
 ANEURYSM, 1069m, 1140n, 1177p, 1188e; aortic 986s, 1045c, 1064d, 1064e, 1170a, 1172j; arteriovenous 1016s, 1114n, 1124f; cardiac 998v; carotid 1087n, 1118g; cerebral 1181t; compl. & seq. 1149k; pul-monary 1140a; subclavian 1034q, 1034n; thoracic 1161c
 ANIMALS, experimentation 1076o
 ANKLE, fract. 1037v; pain 1171e
 ANTABUSE, 1083v; admin. & dos. 1183v

- ANTHAPHYLLINE, ther. 10740
 ANTHRACENE, 11380
 ANTHRAQUINONE, 1184d
 ANTHROPOLOGY, 1050c, 1097d, 1097e, 1104a, 1153f
 ANTIARIS, toxicaria 1066k
 ANTIBIOTICS, 1004a, 1022g, 1052j, 1052v, 1070g, 1073k, 1092c, 1158u, 1173j, 1178p; in surg. 1119p
 ANTIGENS AND ANTIBODIES, 995t, 1067a, 1029-1, 1106y, 1134g
 ANTISEPSIS AND ANTISEPTICS, 1009r
 ANTISTIN, determ. 987-1
 ANTLERS, blood supply 1050g
 ANUS, artif. 1035i; tuberculosis 11671
 ANXIETY, 1131c
 AORTA, abnorm. 987a; inflamm. 1072m; roent. 1084a; strict. 999i, 1105v, 1181t; syphilis 1075n
 AORTIC VALVE, rupt. 1080b
 APHASIA, 10880
 APPARATUS, 987m, 994d, 997c, 10000, 1058p, 1058q, 1063b, 1065j, 1084g, 1103k, 1142j, 1146e, 1192n
 APPENDECTOMY, 1014m, 1035t, 1064w, 1068-1
 APPENDICITIS, 1010c, 1032i, 10330, 1037e, 1037p, 1084g, 1186c, 11860; epidemiol. & statist. 1066v
 APPENDIX, 1037e; abscess 1170f; cancer 1187r; torsion 1013a, 1071w
 APPETITE, 1138g
 AQUEDUCT OF SYLVIVS, 1087m
 AQUEOUS HUMOR, 1088t, 1133i
 ARACHNODACTYLIA, 1020m, 11260
 ARACHNOID, inflamm. 1022s, 1130q, 1133d, 1177e
 ARMS, abnorm. 1000d
 ARRRHYTHMIA, 1119g; auric. fibrill. 999k, 1044i; auric. flutter 999g; ther. 1168k; ventric. fibrill. 1063i, 1166k
 ARSENIC AND ARSENIC COMPOUNDS, eff. 1165h; tox. 1002t, 1027k, 1149f, 1183r
 ARSPHENAMINES, ther. 1000h, 1144n; tox. 1016m
 ARTANE, ther. 1011v, 1169w
 ARTERIES, 1070w; appendicular 1064w; calcification 1035p; cerebral 1182t; hepatic 1055v; meningeal 1035d; ophthalmic 1035d; popliteal 1000j; pulmonary 11110, 1135v; spasm 1007i, 10380; surg. 1022u; temporal 1172n; wds. & renal 1012k, 1037u
 ARTERIOSCLEROSIS, 1165q, 1182a; enal 1190p; ther. 1080b
 ARTHRITIS, 1109g, 1160k, 1169s; blood in 10210; etiol. & pathogen. 1069a; ther. 1109v, 1179c
 ARTHRITIS, RHEUMATOID, 1020h, 1123p, 11570; compl. & seq. 1116r; diag. 1013q, 1129q; ther. 1004q, 1068v, 1071r, 1109m, 1129n
 ASCARIASIS, 1068s, 1173f; compl. & seq. 1068s; ther. 1014-1
 ASCARIS, 1085v
 ASCITES, 1037g, 1122v, 1165a, 1167t, 1170n, 1188i; exper. 1164n; ther. 1188b
 ASCORBIC ACID, 997r, 1093g; defic. 1146-1; eff. 985k, 1074c, 1079d; metab. 1132f; ther. 1003w
 ASPERGILLOSIS, pulmonary 1096g
 ASPIDIUM, tox. 1135a
 ASTHMA, 1009w, 1015v, 1109m, 1120b; ther. 1005t, 1006g, 1049r, 10740, 1076n, 1122i
 ATAXIA, 1179p
 ATEBRIN, ther. 1067w, 1119a
 ATENSIN, 985f
 ATHLETICS, 1112a, 1185n
 ATLAS AND AXIS, disloc. 1086i, 1183b; fract. 1086i
 ATOMIC ENERGY, 992i, 992p, 993m, 1064f, 10720, 1100f, 1100h, 1100i, 1100k, 1102v, 1113j, 1117-1, 1151n, 1152h, 1152i, 1153g, 1161t, 11780; appar. 1100g
 ATROPHY, muscular 1006h
 ATROPINE, eff. 1140h; metab. 11830; tox. 990r
 ATTITUDE, 1184v
 AUREOMYCIN, 10090, 1066c; eff. 1165m; ther. 988w, 999n, 999p, 1011u, 1044j, 1124q, 1161w, 1162a, 1162b, 1162c, 1175t, 1185i, 1191i; tox. 994b, 1115k
 AUTOMOBILES, drivers 1024b, 1179h
 AVIATION AND AVIATORS, 1046n, 1192g; pub. health aspects 1185i, 1094w; statist. 1046p
 BACITRACIN, 999d, 1049n, 1141t; tox. 1039j
 BACKACHE, 1068t; surg. ther. 1014a
 BACTEREMIA, 1072a
 BACTERIA, 1097h, 1097-1, 1097a, 1107a, 1146i, 1174e; abortus & mellitense group 1031d, 1185i; anaerobic 1050t; antagonism 991v, 992j; clostridium 1048g, 1053j, 1097p, 1106b, 1141t; coli 995n, 1056g, 1097n, 1097q, 1097r, 1104i, 1148g; culture mediums 1097j, 1127p; lactic acid group 1054c, 1136p; megatherium 10570, 1057p; metab. 1097i, 1097t, 1148g, 1151j; mycobacteria 1043d, 1184f; nitrosomonas 1152-1; pleuropneumonia-like organisms 1165m; proteus group 1116e, 1116f; pseudomonas 1036a; subtilis 1105b; typhoid group 1097q
 BACTERIOLOGY, 1098b
 BACTERIOPHAGE, 1097a, 1127-1; streptococcic 992s
 BACTERIOIDES, 1064g, 1134i
 BAL, eff. 1027-1, 1155h; ther. 10810, 1110v; tox. 1183h
 BARBITAL AND BARBITAL DERIVATIVES, 987f, 1009a, 1093i, 1131b, 1167m; determ. 1165v; ther. 985n; tox. 1079w
 BATS, anat. & histol. 1050h
 BEEF, 1066n
 BEES, wax 1151p, 1151q
 BEHAVIOR, 1094k, 1102w, 1138n; soc. 1099s
 BENZANTHRACENE, 1147b
 BENZENE, metab. 11470
 BENZENE HEXACHLORIDE, 992m
 BERYLLIUM, 998k, 1062c, 1104v, 1152h, 1156-1; determ. 992c; tox. 1061m, 1062d, 1062e, 1167k
 BETAINES COMPOUNDS, 1027i
 BEVERAGES, alcoholic 990u
 BILE, acids & salts 1164p; pigments 1153a
 BILE DUCTS, calculi 10320, 1032s, 1186r; cancer 1188a; dis. 1160v; innerv. 1038j; obstruct. 1070u; pain 11880; roent. 1115m; strict. 1035w, 1091b; surg. 1118b
 BILIARY TRACT, abnorm. 1187c; dis. 1157q, 11880; roent. 1120u; surg. 1034f
 BILIRUBIN, metab. 1148t
 BIOLOGY, 10580, 1117t
 BIOMETRY, 1050v, 1099s, 1099t, 1099u
 BIRTH, inj. 1023h
 BIRTH CONTROL, 1059t, 1151d
 BISMUTH AND BISMUTH COMPOUNDS, ther. 1000h, 1120d
 BIURET, 1092m
 BLADDER, 1095w; calculi 1017r; cancer 1044n, 1190s; diverticula 1127b; inflamm. 1035h, 1044c, 1161j; rupt. 1190t; surg. 1143b; tumors 1035k, 1045b
 BLASTOMYCES, 1158a, 1182b
 BLASTOMYCOSIS, 1017t, 1157v
 BLINDNESS, 1085-1, 1133a; toxic 1022s
 BLOOD, 1018i, 1106r; ascorbic acid 989p; bactericidal properties 1178b; bilirubin 1080f; bromide & bromine 1179t; calcium 999n, 1019q, 1026s; carbon monoxide 1061i, 1062b; catalase 1153a; chem. 1127-1; cholesterol 1025k, 1076v, 1076w; cholinesterase 995c, 1050p, 1110e; circulation 986c, 1007f, 1040m, 1061k, 1063e, 1078v, 10840, 1084r, 1131i, 1163c, 1173w; citrates 1108r; coagulation 1016v, 1060-1, 1060m, 1108u, 1119t, 1121a, 1124n, 1140g, 1142p, 1157p, 1162f, 1162r, 1165d, 1170d, 1175n; colloids 1164q; count 1151, 1155v; enzymes 990-1, 9910, 1138d; exam. 1113c, 1155q; fats & lipids 1164-1; fibrin 1097r; fibrinogen

- 1114e,1165f; form. 1019j,1155v; groups 1050k, 1075s,1134q,1154e,1155e,1157i; iodine 1038e; iron 1005i,1021o,1021q,1108t; lead 1064p; lipase 1021j; nicotinic acid 1166g; nitrogen 999g; oxygen 1142b,1159p,1192g; penicillin 1075-l; phosphatase 1146m; phosphorus 1088v,1168v; picture 1063a; plasma 1112u; platelets 1165e; potassium 1001h; preserv. 995e,1075a,1142q; proteins 985-l,1093v,1118v,1135i,1136a,1157v,1162o,1162r, 1173s; prothrombin 1018d,1121d,1139d,1162m, 1165g; riboflavin 985m; sedimentation 1004u, 1068j,1077w,1082d,1155u,1176u,1191n; sulfonamides 1126-l; trichloroethylene 1063q; volume 1155k,1191-l
- BLOOD PRESSURE**, 1063e,1174a; determ. 1038n, 1093s; eff. of drugs on 151t
- BLOOD PRESSURE, HIGH** 1026b,1033k,1063v,1111n, 1116v,1156o,1190o; blood in 988h; compl. & seq. 1018s; diag. 1002-l; exper. 1144u; surg. ther. 1036k; ther. 986t,1090o,1116k,1165k
- BLOOD SUGAR**, 989m,1127m; determ. 1003t; hypoglycemia 1163d,1163k
- BLOOD TRANSFUSION**, 1001k,1020o,1037a,1076k, 1077p,1081b,1082s,1085j,1092n,1094q,1108n,1121s, 1156r,1173w,1187e; compl. & seq. 1001u,1002j, 1071q,1081p,1122u,1155f,1155g; donors 1094r; in inf. & child. 1082r,1175b; technic 1142q
- BLOOD VESSELS**, surg. 1085i; wds. & inj. 1086g
- BLOODLETTING**, 1108n
- BODY**, 1138e
- BONES**, 1086q,1128-l,1150u,1159c; anat. & histol. 1098v; atrophy 1168v; cancer 1160e; composition 1104n; dis. 1032b,1098w,1163i; growth 995p,1056f, 1098u; marrow 1017j,1104c,1121s,1127o,1128m, 1155o,1156p,1173s; surg. 1035f; transpl. 1125-l, 1128m,1128n; tumors 1032c
- BRACHIAL PLEXUS**, 1021b
- BRADYCARDIA**, 1174f,1174g,1174h
- BRAIN**, abnorm. 1002j; abscess 1021j,1087g,1088m, 1181n,1181p; anat. & histol. 1137r; blood supply 1031u,1035d,1140b; cancer 1065b; chem. 1103r, 1137u; cysticercosis 1130o; cysts 1102v,1088m, 1180-l; dis. 1015g,1016m,1022-l,1087r,1114d, 1116f,1180m; edema 1013e; hemorrh. 986k, 1012u,1087f,1088-l; hernia 1025t,1059m,1180h; localization of function 1104u; physiol. 997p, 1024w,1137-l; roent. 1071b,1088g; surg. 1001b, 1015c,1025d,1033k,1076o,1087h,1088g,1112a, 1120f,1120g,1120h,1120i,1131p,1131v; tuberculo- sis 1070r; tumors 1022a,1025e,1032n,1077r, 1081j,1087r,1141s,1180i; wds. & inj. 998q,1005c, 1017w,1037-l,1186u
- BREAST**, 1054b; abnorm. 1034k; cancer 1001n, 1003b,1005u,1006c,1031p,1031q,1031r,1031s, 1031t,1031u,1033f,1035e,1037b,1037n,1039a,1039c, 1070e,1113b,1125n,1159r,1160d,1160f,1160g, 1160m,1167e,1169g,1169p,1185v,1187h; cysts 1160d; dis. 1063s; hypertrophy 997h,1039b; in- flamm. 1000v,1116q; metab. 1147j; physiol. 990g, 997e; surg. 1034k,1039b,1067e; tuberculosis 997h,1065h,1161i; tumors 1039q
- BROMIDE AND BROMINE**, tox. 1175q
- BRONCHI**, cancer 1065h,1127f; physiol. 1017m; roent. 1120w,1143t; spasm 1110v; strict. 1075p, 1171c; surg. 1141b; tumors 1008k,1186q
- BRONCHIECTASES**, ther. 1065u
- BRONCHITIS**, 1109p; fibrinous 1111o
- BRONCHOSCOPY**, 1072i,1120w
- BRONCHOSPIROMETRY**, 1141k
- BURNS**, 1021-l,1038v,1061n,1112m,1128e,1187f; ther. 1071p,1176k
- BURSA**, inflamm. 1077c
- BUTTOCKS**, 1091o
- CADAVERS**, 1120q
- CALCIFEROL**, ther. 998t
- CALCIFICATION**, 1093n,1125c,1177o
- CALCIUM AND CALCIUM COMPOUNDS**, 1002d, 1008d,1117e; determ. 987i; eff. 1019j,1053p, 1093j,1093j; metab. 994i
- CALLUS**, 1093b,1142o
- CAMPFOL**, 1082v
- CANCER**, 1001s,1021-l,1058g,1083j,1114v,1117n, 1128r,1170t,1182c; blood in 1159r; cells 1172g, 1182e; chorionic 997t,1060d; clinics 997m; diag. 1001i,1010s,1128d,1051k,1115a,1115-l,1160k; epithelioma 1100u; exper. 1147a,1147b; metas- tases 1006c,1063p,1065h,1085b,1125n; prev. & control 1030n,1068u; radiother. 1082d; tar 1124k ther. 1000p,1160-l,1171m
- CANNULA**, 997a,1166-l
- CAPILLARIES**, permeability 1074c,1079d,1163b
- CARBOHYDRATES**, 1153i; eff. 1031g; metab. 1052p, 1150p,1168a
- CARBON DIOXIDE**, 1059c,1138b
- CARBON MONOXIDE**, 1062a,1085v,1103r; tox. 1061v,1061w,1062b
- CARBON TETRACHLORIDE**, tox. 1085q
- CARBORUNDUM**, 1062j
- CARBUNCLE**, 1107s
- CARDIOVASCULAR DISEASE**, 986k,998n,1000c, 1004e,1012v,1020p,1020q,1063e,1080i,1120t,1165g, syphilis 1013c; ther. 1127i,1175n
- CARDIOVASCULAR SYSTEM**, abnorm. 1185r; eff. of drugs on 999h; physiol. 1068m; roent. 1031u, 1095t,1135j,1185u
- CAROB**, 1182s
- CARONAMIDE**, eff. 1007f
- CAROTENE**, 1123e; determ. 993s
- CAROTID BODY**, tumors 1084e
- CAROTID SINUS**, 1175n; dis. 1017f
- CARTILAGE**, 1128-l,1159c; transpl. 1187k
- CASE RECORDS**, 1030m
- CASEIN**, 1164p,1182i
- CASTRATION**, 1056d; eff. 989v
- CATARACT**, 1062o; etiol. & pathogen. 1132r; ex- traction 1020n,1022b,1022s; hered. 1133j
- CATHARTICS**, 1136e; determ. 1136n
- CECUM**, abnorm. 1013i; anat. & histol. 1145j; surg. 1013i
- CELIAC DISEASE**, 1003-l
- CELLS**, 985r; division 1099t,1103f; nuclei 995b, 1098j,1148s; physiol. 1093t
- CELLULOSE**, 1039j
- CEREBELLOPONTINE ANGLE**, tumors 1063w
- CEREBELLUM**, abnorm. 1131t; abscess 1181k; blood supply 1026b; dis. 1114-l; physiol. 1137s; tumors 1087m,1175n
- CEREBROSPINAL FLUID**, 1035d,1130n,1167h; exam. 1012t; in various dis. 1045v; penicillin 1116u; protein 1191v; sugar 1073b
- CESAREAN SECTION**, 1010d,1036-l,1106b,1120k, 1154s; indications 1022p
- CESIUM**, 1057m
- CHAIRS**, 1007j
- CHANCE**, 1144g,1173b
- CHAULMOOGRA**, 1157e
- CHEEK**, abnorm. 1100v; tuberculosis 1090d; tu- mors 1054v; wds & inj. 1036p
- CHEMISTRY**, 993d,993e,1015k,1079-l,1152f; educ. 1152e; microchem. 987n,987o,987p
- CHEMOTHERAPY**, in surg. 1119p
- CHEWING GUM**, 987s
- CHICKENPOX**, 1003q; compl. & seq. 1182v; prev. & control 1029n
- CHILD WELFARE**, 987a,1011q,1029v,1060n,1163w, 1164b,1164d,1164e,1164f,1185e
- CHILDREN**, growth & develop. 1072b; nerv. & ment. disord. 1011o,1015g,1088b,1088c,1088d; psychol. 1135e

- CHLORIDES, 1140k; metab. 1105j
 CHLORINE & HYPOCHLORITE DERIVATIVES, determ. 1053m; ther. 1172q
 CHLOROCRUORIN, 1152u
 CHLOROETHANE, tox. 1181u
 CHLOROFORM, 1007r
 CHLOROMYCETIN, 993r, 1009o, 1052d, 1121g; de-term. 1052k; ther. 1007p, 1010h, 1017k, 1078b, 1116w, 1119n, 1122s, 1161w, 1162a, 1162b, 1162c, 1175t, 1175u, 1175v, 1183-1, 1191j
 CHLOROPHYLL, 1054q
 CHLOROQUINE, ther. 998s
 CHOLERA, 1069f, 1111a
 CHOLESTEROL, 1011b, 1076u; eff. 1165q
 CHOLINE & CHOLINE DERIVATIVES, 1027n, 1151v, 1163c; eff. 1019d, 1027q, 1098f, 1132h, 1138s; ther. 1188n; tox. 1019q
 CHOLINESTERASE, 1027i, 1052g
 CHOREA, 1006i
 CHORIOMENINGITIS, 1002s, 1095b
 CHOROID, 1022v; blood supply 1023o; inflamm. 1133g
 CHOROID PLEXUS, tumors 1025f
 CHROMATOGRAPHY, 992b, 992c, 992d, 995a, 1054g, 1092n, 1103d, 1148m, 1148o, 1152p, 1152q, 1153i, 1153j, 1153-1
 CHROMIUM AND CHROMIUM COMPOUNDS, 998h
 CHROMOSOMES, 995q
 CHYLOTHORAX, 1001c
 CICATRIX, 1175e, 1187f
 CINERONE, 1058-1
 CITRAL, 1082s
 CITRATES, 1093n
 CLAUDICATION, intermittent 1086f
 CLAVICLE, disloc. 1129b; roent. 1093n; tumors 1034c
 CLIMACTERIC, 1068d, 1127h
 CLIMATE, 1078u, 1096m
 CLINICS, 1045v
 CLITORIS, 997g
 COAL TAR, eff. 988r
 COBALT, 1026e; eff. 1058h, 1107f; metab. 1104d
 COCCIDIOIDOMYCOSIS, 1083r, 1141e; ther. 1140u
 COCKROACHES, 1095d
 COITUS, 1022-1, 1128h
 COLCHICINE, deriv. 1046e; eff. 1029d; tox. 1183o
 COLD, 1166r; eff. 1066j, 1070b
 COLITIS, ulcerative 1013r, 1069k, 1158a
 COLON, 1081b; cancer 1032v, 1038r, 1070s, 1085b, 1114d, 1115k, 1158d; dilatation 1004-1, 1035i, 1037w, 1117f, 1119m, 1180m; innerv. 1159d; obstruct. 1119k; pathol. 1115o; surg. 1017c, 1032k, 1032-1, 1034o, 1037q, 1117o; tumors 1037i, 1122n
 COLOR, 1100c
 COLOR BLINDNESS, 1014o, 1028e, 1089i, 1089j
 COLOR PERCEPTION, 1046i, 1046r, 1089c, 1089d, 1089f, 1089g, 1089h, 1089i, 1089k, 1089-1; tests 1181c
 COLOSTOMY, 1119k
 COLOSTRUM, 1026u
 COMMUNICABLE DISEASES, 1029j
 COMPLEMENT, 1050r; fixation 1045n, 1135p, 1165a
 CONEINSE, ther. 1124c, 1143m, 1143n
 CONJUNCTIVA, dis. 1028h; tuberculosis 1072v
 CONJUNCTIVITIS, 1073r; in inf. & child. 1082t
 CONSTIPATION, in inf. & child. 1014t; ther. 1077a
 CONSTITUTION, 1122g
 CONTRACTURE, Dupuytren's 1086p, 1113q; ther. 1082o
 CONVALESCENCE, 1064s, 1166o
 CONVULSIONS, 1012o, 1091q, 1138v; exper. 1024o, 1088e, 1127p; in inf. & child. 1182m, 1182t; ther. 1092m, 1136q
 COPPER, metab. 1003g
 CORN, 1008q
 CORNEA, abnorm. 1086w; pathol. 1022q, 1026f, 1133g, 1133-1; surg. 1022q, 1023a; ulcers 1133m
 CORONARY VESSELS, 1159w; abnorm. 1135v; cir-culation 1079i, 1144v; dis. 986i, 986w, 1076u, 1076v, 1076w, 1164h; insuff. 999j, 1125q
 CORONERS & MEDICAL EXAMINERS, 1151d
 CORPUS LUTEUM, rupt. 1059a
 CORTISONE, 1092k; eff. 1004q; ther. 1068h, 1084b
 COSMETICS, 1170a
 COSMIC RAYS, 994q, 1104a
 COUMARIN, 1184b
 CRANIUM, 1047s; dis. 1063n, 1175n; pressure in 1063k, 1063v; roent. 1114c; surg. 1034r, 1054o; wds. & inj. 1005c, 1037-1, 1131r, 1179v, 1186u
 CRIME & CRIMINALS, 991b, 991c; psychol. & psy-chiat. aspects 1009i; sexual 991b
 CRYSTALS, 992f
 CURARE, 1023d; eff. 1034d, 1111d
 CURCUMIN, 992j
 CUSHING SYNDROME, 1013j, 1057g, 1121p
 CYANIDES, eff. 985w, 1053v
 CYANOSIS, diag. 1122k
 CYBERNETICS, 1081m, 1103a
 CYCLOPROPANE, 1074e
 CYSTINE AND CYSTEINE, 1189k
 CYTOCHROME, 1053q; eff. 1046k
 DAPHNIA, 1152u
 DDT, 1024j, 1107o
 DEAD, 1102q
 DEAF-MUTISM, 1078-1, 1090k
 DEAFNESS, 1109f; diag. 1065o; etiol. & pathogen. 1009d; prev. 1013t
 DEATH, 1006p
 DECIDUA, 996r; ectopic 996m
 DEGLUTITION, disord. 1067n
 DEHYDRATION, 1034b; ther. 1006d
 DELINQUENCY, 1124-1
 DENTISTRY, 1149w, 1150w; in Gt. Brit. 1122c; ma-terials 1089i, 1101j, 1101r, 1149i, 1150c, 1150l, 1150j, 1150k; med. & dent. 1085w; orthodontic 1100o, 1100p, 1100q, 1150g; pedodontic 1149u, 1150e; prev. 1101g, 1151a
 DEPRESSION, 1180q
 DERMATITIS, 1028w, 1028w, 1039o, 1042n, 1074-1, 1114t, 1161v, 1169e
 DERMATOLOGY, 1045e, 1114h, 1114i, 1115d, 1158v, 1175o; teaching 988-1
 DERMATOMYOSITIS, 1002e, 1070a
 DETERGENTS, 998e, 1097-1, 1165r, 1191m
 DEXEDRINE, 996e
 DIABETES INSIPIDUS, 1113r; ther. 989-1
 DIABETES MELLITUS, 989g, 989s, 990-1, 990n, 998w, 1001c, 1006s, 1024e, 1061j, 1074p, 1108o, 1109j, 1122t, 1142f; acidosis in 1127n; blood pressure in 1073b; coma in 1041k, 1081d, 1123u, 1163-1, 1163m; etiol. & pathogen. 1087-1; exper. 985-1, 1021n, 1021s; eyes in 1023n; in inf. & child. 1015p; in-sulin in 1012h, 1110n, 1168i; metab. in 1012m, 1127n, 1127v; pregn. & diabetes 1113a; ther. 1012h, 1127v, 1163m, 1163o
 DIAGNOSIS, 1178a
 DIAPHER. bact. 1121k
 DIAPHRAGM, eversion 1044f, 1111t; physiol. 1053c; tumors 1032v
 DIARRHEA, 1019u; in inf. & child 1182s
 DIATHERMY, 1040m; surg. 1034t, 1045e
 DIATHESIS, hemorrhagic 1018c, 1073t, 1108o
 DICUMACYL, 1121a
 DICUMAROL, 1173t; eff. 1004u, 1119h; ther. 1022j, 1066c; tox. 1074a
 DIET & DIETETICS, 1138f; dis. & diet 1056a; ex-per. studies 1079h, 1181w; salt-free 1165k; teach-ing 998h, 1025n
 DIGESTIVE SYSTEM, 1002t; dis. 989j, 1109v, 1115r, 1173f; tuberculosis 1090h

DIGITALIS AND DIGITALIS PREPARATIONS, ther.

999g,999h,1051u; tox. 1048v

DILANTIN, tox. 1135g

DIPHENHYDRAMINE, ther. 989a,1009c,1011v

DIPHTHERIA, 1139q,1167d; bacilli 1029m,1030o; epidemiol. & statist. 1189s; exper. 1021e; immun. 1095a,1135j; toxin 1066n,1081v,1134g

DISEASE, 1166f; chronic 1030q,1166m; diag. 1084p; transm. 1108t

DISINFECTION AND DISINFECTANTS, 1174f,1174g, 1174h

DITHIOLES, eff. 1027k

DIURESIS AND DIURETICS, 1005e,1063c,1093k, 1120p,1154t

DIVORCE, 1151d

DREAMS, 1130p

DRESSINGS, 1032t

DRUGS, 1136k,1136m,1184-l; addiction 1088j; legislation 1184b; tox. 999e

DUCTUS ARTERIOSUS, 1167s

DUODENUM, 1016d; exam. 1016b; hemorrh. 1080t; innerv. 1038j; regurgitation from 1033w,1034h

DWARFISM, 1134n

DYES, 1057u

DYSENTERY, etiol. & pathogen. 1107r; vaccine 1048m

DYSMENORRHEA, 1163u; ther. 1172u

DYSTROPHY, muscular 1072k

EAR, abnorm. 988s; anat. & histol. 1079j; dis. 1177m; external 999e; internal 1068g,1181h; surg. 1133q; tumors 1025e,1130r

ECHINOCOCCOSIS, 1063n; ther. 1034h,1187b

ECLAMPSIA, 1023g,1105j,1113a,1114e,1124a,1154t, 1169d; ther. 1082j

ECONOMICS, MEDICAL, 1122f; fees 1126a

ECZEMA, in inf. & child. 1065u,1161-l; ther. 1022u, 1109b

EDEMA, 1020e,1110i

EDUCATION, MEDICAL, 1062m,1067c,1114b,1129-l, 1170u; curriculum 1129f; graduate 1129c; in Ohio 1170i; teaching 1129g,1129h,1129k

ELBOW, dis. 1140e; wds. & inj. 1178e

ELECTRICITY, inj. eff. 1174k

ELECTROCARDIOGRAPHY, 986-l,986m,986p,986s, 987d,989n,995g,1001h,1004o,1011c,1022f,1051s, 1072m,1079v,1081j,1108k,1112f,1125b,1163d, 1177i

ELECTROENCEPHALOGRAPHY, 990q,1002k,1012s, 1015h,1018r,1081k,1081n,1081o,1081p,1081q, 1087d,1087j,1087k,1087-l,1087r,1087t,1121c, 1131t,1151-l; in inf. & child. 1091j,1167r

ELECTROKYMOGRAPHY, 1185t

ELECTROLYTES, 1038c,1053j,1171d

ELECTROMYOGRAPHY, 1003k,1128r

ELECTRONARCOSIS, 1074o

ELECTRONS, 993h,993i,1152e

ELECTROPHORESIS, 985-l,1006f,1136a

ELEMENTS, CHEMICAL, 1152g

ELEPHANTIASIS, 1100t; ther. 1187g

EMBOLISM, 1035a,1189b; aortic 986g,1005f,1005g, 1035r; pulmonary 996v,999j,1012b,1032i,1039s, 1091a,1119t; ther. 1066c,1111j

EMBRYOLOGY, 1051b,1051e,1051f,1053u,1079d, 1105c,1148i,1148j

EMETINE AND EMETINE COMPOUNDS, 1084s, 1151n

EMOTIONS, 1069p,1079i,1094j,1183k

EMPEDOCLES, 1068v

EMPHYSEMA, 1044c; mediastinal 1013u,1106n; pulmonary 1177h; subcutaneous 1005t,1013u

EMPYEMA, 1190e; etiol. & pathogen. 1158o,1166k; ther. 1075h; tuberculous 1163h,1172k

EMULSIONS, 993i,1028a,1058m

ENCEPHALITIS, 1026s; in inf. & child. 1012s

ENCEPHALITIS, EPIDEMIC, seq. 1018m,1083e;

virus 1003n

ENCEPHALOMYELITIS, compl. & seq. 1134v; equine 993v

ENDAMOEBIA, histolytica 1041s,1108b

ENDARTERITIS, obliterans 1062v

ENDOCARDITIS, INFECTIOUS, 986o,1009f,1067s, 1106e,1109g,1167g,1167j,1177e,1178d,1191k

ENDOCRINE GLANDS, 989s; dis. 1066e,1127h, 1131r,1157j

ENDOCRINE THERAPY, 1160g

ENDOMETRIOSIS, 996p,998b,1012p,1014a,1060r, 1105u,1106h,1159o,1190u

ENDOMETRITIS, 1022m

ENDOMETRIUM, 1060f,1090w,1105k,1188-l

ENEMATA, 1032r

ENTOMOLOGY, 1152r

ENVIRONMENT, 1066j

ENZYMES, 990e,992k,992r,1050p,1052h,1052q,1053f, 1053g,1097p,1147-l,1148c,1153j,1184-l; amylolytic 993a; bact. 1097-l; proteolytic 1052d; ther. 1081d

EOSINOPHILS, 989q,1072d

EPHEDRINE, 1092h

EPIDIDYMITIS, 1085p,1191n; ther. 1191j

EPILEPSY, 1004n,1015h,1016c,1017u,1069p,1076j, 1081k,1081n,1087v,1121c,1127p,1131t,1182j; compl. & seq. 1180r; diag. 1018r; ther. 988n, 985o,1025c,1071v

EPIPHYSEAS, separation 1128j,1188-l

EPISPASIA, 1191e

ERGOGRAHY, 1157q

ERGOT AND ERGOT PREPARATIONS, eff. 1002-l, 1109d,1125h

ERYSIPELOID, 1118c

ERYTHEMA, 1055n; multiforme 1009w,1024a, 1055b,1157m,1173m; nodosum 988f,1124j,1131m, 1134u,1143r,1158m

ERYTHROBLASTOSIS, FETAL, 994h,1060q,1091s, 1118m,1161u,1174u,1175a,1175c,1182u; blood in 1155-l; diag. 1067j; etiol. & pathogen. 1106f, 1155j; ther. 1175b

ERYTHROCYTES, 1018i,1053m,1062q,1068e,1078o, 1106u,1142a,1152k; count 1018h; destruction 1153a; elliptical 992u; permeability 1052g; prod. 1005m,1183s

ESOPHAGUS, abnorm. 1010a,1026n; atresia 1034r, 1037w,1050a,1183i; cancer 1000m,1023p,1077t; dilatation 1004h; diverticula 1077-l; for. body 1026n; pain 1188o; pathol. 1091f; perf. 1011g, 1031v; roent. 1095j; rupt. 1005u,1172j; strict. 1005e,1023r,1139w,1189j; surg. 1003c,1033t, 1039e,1078h; syphilis 1189j; tumors 1007v; ulcers 1157k

ESTROGENS, 1155v; admin. & dos. 1067s; eff. 990n,992v,996w,1020a,1056p,1092g,1110e,1154n, 1119o; in urine 1148h; metab. 1052u; ther. 1008o,1039a,1106a,1121o,1127h,1160f,1179b, 1179c,1179d

ETHER, 985g

ETHICS, MEDICAL, 1107k,1117q; hist. 1160s

ETHYLENE GLYCOL, 1029b

ETHYLENE OXIDE, 1061n

EXERCISE, eff. 1139r; therapeutic 1128t,1161n

EXOPHTHALMOS, 1102b

EXPLOSIVES, 1184f

EXTRAPYRAMIDAL TRACT, 1067k

EXTREMITIES, 1068a; abnorm. 997v; artif. 1010g, 1129j; blood supply 1002n,1024f,1105a,1142k, 1168q,1172t; cancer 1188g; innerv. 1068r; paralysis 1000m,1070m,1073f,1086j,1119-l; pathol. 999b; roent. 1096a; surg. 1037d,1187h; wds. & inj. 1070c

EYELIDS, ptosis 1025v; surg. 1023m,1084v; tumors 1132u

EYES, 995s,1014n,1088v; absence 1187i; accom.

- & refrac. 1022r,1132u; diagnostic significance 1017f,1157q; dis. 1001d,1014p,1022s,1026k, 1084e,1092u,1123p,1158k,1180e,1180v; for. body 1026a,1133a; muscles 1133e; pathol. 1180w; photography 1132v; surg. 1004g,1187q; syphilis 1133e; tension 1026f,1125h; tumors 1132u, 1132w,1180f
- FACE, 1016n; abnorm. 1088s; atrophy 1063j; cancer 988e; pain 1174k; surg. 1187m,1188d
- FALLOPIAN TUBES, cancer 997k,997s; insufflation 997a,997b,1071k; roent. 1121a; surg. 1035f, 1125v; tuberculosis 997s
- FAMILY, 1184q
- FASCIA, 1191g,1191h
- FASTING, 1125v
- FAT, 9901,1000n,1015n,1173d; in diet 1132k; metab 1052-1,1056r,1085d,1102b,1110q
- FATIGUE, 1020f,1061q,1131k
- FECES, fat in 1148p,1165v
- FECUNDITY, 1091f,1098g,1111g,1123h
- FEMUR, fract. 1006v,1128s,1129a; tumors 1126g
- FERMENTATION, 991s,1031g,1057q,1084o; bacterial 1104j
- FETUS, 1012o; blood in 1019n,1135j; death of 996-1,998a; pathol. 1106n
- FEVER, 1091q; therapeutic 988o,1143o
- FIBULA, cysts 1017m; fract. 1068f
- FILARIASIS, 1075w; ther. 1175r
- FILTERS, 992e,1183u
- FINGERS AND TOES, 1039n,1112-1; abnorm. 1187j; surg. 1001g
- FINGERSUCKING, 1135m
- FISTULA, anal 1036v; arteriovenous 1032e,1163r, 1182a,1188f; biliary 1039-1,1115m; broncho-esophageal 1023q; cholecystocolic 1175m,1186c; esophagotracheal 1050a,1183j; labial 1070-1; lymphatic 1036q; pancreatic 1083f; rectovesical 1035m; renal 1096g; ureteral 1096q; urethroscrotal 1112i
- FLATULENCE, 1007c,1171q
- FLAVONES, 1027w,1053q; eff. 1007u
- FLAXEDIL, 1007d,1085m,1176p
- FLEAS, 1041o
- FLIES, 1098e; eradication 1146d,1176u
- FLOODS, 1139j
- FLUIDS, 1015n,1015o,1019h,1038c,1190r
- FLUORESCIN, 1141q,1188m
- FLUORESCENCE, 1078a
- FLUORIDES, 1096-1,1127m,1152c
- FLUOROCARBONS, 1153g
- FOLIC ACID, 1046f,1155a; antagonists 1046f,1123b, 1147d; ther. 1063s,1079o,1166g
- FOLLEN, A.A.L. 1018p
- FOOD, 991j,993-1,1072e,1103j,1104c,1160b,1184i; allergy 1020r,1115q
- FOOT, deform. 1068f,1176u; flat 1041d; pain 1014s, 1032u,1171e; surg. 1035n,1164u
- FOREARM, fract. 1128k
- FOREIGN BODIES, 1048p; in air & food passages 1008b
- FORMALDEHYDE, 1104v
- FRACTURES, 1080k,1128h; compl. & seq. 1126a; ther. 1009f,1012f,1069e,1075e,1083d,1125g,1188t
- FREUD, SIGMUND, 1086v,1086w,1087a
- FRONTAL SINUS, inflamm. 1180h
- FRUIT, 1151k
- FUNGI, 991o,995u,1018j,1049d,1052q,1071c,1147f, 1148c,1152n; antagonists 1055q
- FURACIN, 1120r
- GALACTOSE, 1162m
- GALL BLADDER, 1017r; absence 1122q; calculi 1035p,1048p,1070u; cancer 1166o; dis. 1114c; inflamm. 1037e,1038u,1166u; roent. 1186b
- GALLIUM, 1047u,1047w
- GANGLION, stellate 1180e; sympathetic 1111p
- GANGRENE, gas 1128m
- GANTREIN, 1096r
- GASTROINTESTINAL TRACT, dis. 1110b,1118j; hemorrh. 1011f,1022d
- GEIGER-MÜLLER COUNTERS, 994v,1058n
- GELATIN, 1039j,1103t
- GENITALS, cancer 1023i; dis. 997r; gangrene 1144p; pathol. 1179e; tumors 1144f,1154u,1154w
- GENITOURINARY TRACT, dis. 1044u,1075d,1157q; surg. 1142d,1191o; tuberculosis 1086b
- GERMICIDES, 1032k,1037k,1136j
- GLANDS, dis. 1091q
- GLASS, 1146n
- GLASSES, contact 1081f
- GLAUCOMA, 1132r,1133g; ther. 1025u,1082s,1120b
- GLOVES, 1032r
- GLUCIDES, metab. 1019u
- GLUCOSAMINE, metab. 1053r
- GLUCOSE, 1002d,1162m,1173h; eff. 1053p; tolerance 1064o,1157j
- GLYCOGEN, 986b,1060k,1188a; metab. 989w,1053c
- GOITER, 1002a,1084q,1127e; etiol. & pathogen. 1081h; exper. 1058r; intratracheal 1085c; ther. 1010f
- GOITER, EXOPHTHALMIC, 1102k,1174s,1188b; etiol. & pathogen. 1007m; surg. ther. 1102-1; ther. 1021p,1171b
- GOLD AND GOLD COMPOUNDS, ther. 1109m,1129n
- GONADOTROPINS, 1104o; ther. 1080e,1060m
- GONOCOCCI, culture 1144-1; infect. 986o
- GONORRHEA, 1175v; penicillin ther. 1178q; prev. & control 1022o,1144d; ther. 1085p,1175u
- GOUT, 1156p,1159k
- GRAMICIDIN, 1082-1
- GRANULOCYTOPENIA, 1003a,1108-1,1176s; ther. 1173q
- GRANULOMA, 1033m,1033o,1111o,1132w,1169i; etiol. & pathogen. 1062e; inguinale 1044h,1112i
- GRAPES, 1061b
- GROWTH, 1020a,1028g,1099f,1104g,1147m; exper. studies 1052r,1098n,1098o,1098q,1098r,1098t, 1132k,1145g; factors 1054c,1056f,1056r,1058o, 1099v,1136p,1151h
- GULLAIN-BARRÉ SYNDROME, 1001q
- GUMS, dis. 1163h; inflamm. 1150-1,1150m; tumors 1054m
- GYNECOLOGY, 1014d,1115r; hist. 1040c,1040i; ther. in 1041k
- HAIR, 1014r,1077g; excessive 988n
- HALOGENS AND HALOGEN COMPOUNDS, 1152e
- HAND, deform. 1001g; dis. 1129o; wds. & inj. 1021i,1069m
- HARELIP, 1019m,1066r,1071b,1113w
- HATE, 1131c
- HAY FEVER, 1049s
- HEAD, wds. & inj. 1012d,1167r
- HEADACHE, 996f,1018s,1172n,1174k; ther. 1077e, 1112j,1121o,1180e
- HEALTH, 1061a; educ. 1029i,1094t; resorts 1078-1, 1096j
- HEARING, 1068g,1118n; aids 1009-1; disord. 1076d, 1090a,1090f,1164a; tests 1123k,1181f
- HEART, 1072f,1074m,1107s,1148r; abnorm. 986g, 986p,987a,1015v,1020j,1037j,1085u,1110f,1159f, 1161b,1167j,1170v,1181s,1182p,1182r,1185q, 1185s; beat 1169k; block 986r,1063f,1171g, 1185t; catheterization 1064h,1163c; dis. 1001g, 1011c,1011p,1051u,1062w,1064h,1090o,1092q, 1099m,1118t,1163f,1171v; eff. of drugs on 1007u, 1098f; hypertrophy 1011c,1182a,1182-1; infarct 986m,986r,1064g,1090v,1119h,1160s,1166k,1185t; innerv. 1049v,1118t; insuff. 999k,999-1,1024w, 1063p,1090o,1109-1; massage 1038p; murmurs & sounds 986u,986v,1051v,1063b,1108r,1183d,1163s;

- physiol. 995g,1053f,1109f; rate 1017h,1125b, 1138c; roent. 1095g,1095s; surg. 1006g,1016m, 1039g,1141c,1161b,1188v; syphilis 1044i,1072m; tamponade 1112b; wds. & inj. 1110j,1111v
- HELIUM**, 992g,992p
- HEMATEMESIS**, 1000c,1085-1,1169a; ther. 1116q
- HEMATOMA**, 1183f
- HEMATURIA**, 1009-1,1044v
- HEMIANOPIA**, 1130q,1180a,1180d
- HEMPLEGLIA**, 1006q
- HEMOCHROMATOSIS**, 1003t,1011w
- HEMOCLASTIC CRISIS**, 997r
- HEMOGLOBIN AND COMPOUNDS**, 1020f,1061i, 1077i,1104-1,1152u; determ. 1113f
- HEMOGLOBINURIA**, 1155c; paroxysmal 1069h
- HEMOLYSE**, 1020f,1090t,1155c
- HEMOPHILIA**, 1017q,1018d,1076k,1126c; compl. & seq. 1183f; diag. 1050-1
- HEMOPNEUMOTHORAX**, 1013f,1124p
- HEMOPOIETIC SYSTEM**, dis. 1018f,1171k,1189f; tumors 1165h
- HEMORRHAGE**, 1008-1,1009t,1050-1,1074c,1114e, 1173t; intra-abdominal 1015q,1059n,1120m
- HEMORRHOIDS**, ther. 1033e,1169m
- HEMOSTASIS**, 1008n,1019j,1039j
- HEPARIN**, 1112n; eff. 1038v; ther. 1110u
- HEPATITIS**, 1021t,1159c,1160v; blood in 1062q; ther. 1162n
- HEPATITIS, INFECTIOUS**, 1080p,1183c; compl. & seq. 1007n
- HEREDITY**, 995n,995s,1075j,1099e,1099v,1104f, 1104s,1154c,1154d,1154f,1154g,1154i,1154k; in U. S. S. R. 1094e; mechanism 995o,998u,995v, 1104r
- HERMAPHRODITISM**, 1151n,1191f
- HERNIA**, diag. 1068f,1113k; diaphragmatic 999m, 1003i,1014k,1032a,1115q,1171s,1186d; femoral 1039t; inguinal 1005b,1009a,1009j,1010a,1037s, 1043i,1188v; internal 1039e; mesenteric 1007h; spigelian 1111r; umbilical 1080r; vaginal 1017v; ventral 1111r
- HERPES**, ther. 1074q; zoster 988p,989b,1141p, 1167c,1172w,1176v
- HETRAZAN**, ther. 1175r
- HEXESTROL**, eff. 996w
- HEXITOLS**, 1103-1,1103n,1152p
- HEXYLRESORCINOL**, 1031f
- HICCUP**, 1083w; ther. 1126w
- HIP**, deform. 1117t; dis. 1004t,1085a,1128p; disloc. 1035k,1036f,1129a; pain 1128r,1177n; roent. 1186a; surg. 1033j,1124i,1128i,1128w,1143q; tuberculosis 1128q
- HISTAMINE**, 1088t,1146q; antagonists 988h,1021f, 1027n,1043a,1047k,1049o,1049q,1057w,1080f, 1084a,1120o,1125h,1151t; eff. 999c,1125h; ther. 1184-1; tox. 988h
- HISTOLOGY**, 1176b
- HISTOPLASMOSIS**, 1042m
- HODGKIN'S DISEASE**, 998t,1012b,1040b,1044b, 1124h,1162h,1169v; diag. 1155s; ther. 1000a, 1021v,1076h
- HOGS**, dis. 1073k
- HOMEOPATHY**, 1027i,1080w; therapeutics of 1086c
- HOOKWORM INFECTION**, 1029g
- HORMONES**, 997o,1151k; eff. 1039-1; sex 989s, 997p,1000i,1041p,1080i,1127b
- HOSPITALS**, 998e,1060w,1061c,1122e; admin. & org. 1140p; children's 1024m,1083a,1083b; marine 1107m; military & naval 1024c,1085k,1085m, 1129g,1129h; obst. serv. 998d,1159m; psychiatric 1024k,1024-1,1024m,1040o,1109r,1179n; veterans' 1020u,1079k,1129g,1179-1
- HOUSING**, 1030b,1030e,1030i,1067v,1139e,1139s
- HUMIDITY**, 1041o,1058d
- HUMOR**, 1184t
- HUNGER**, 1138g,1138t
- HYALURONIDASE**, 990n,1007e,1178v
- HYDROCARBON**, 1004j,1061t
- HYDROCELE**, 1036-1
- HYDROCEPHALUS**, 1022d,1088m,1116f,1131t
- HYDROGEN**, peroxide 1134d
- HYDROGEN ION CONCENTRATION**, 1099f
- HYDRONEPHROSIS**, 1072e,1180m
- HYGIENE AND SANITATION**, 1030b; teaching 1185-1
- HYOSCYAMUS**, 1136m
- HYPNOTICS**, 1015-1,1092m
- HYPOGASTRIC PLEXUS**, 1126h
- HYPOSPADIAS**, 1038i
- HYPOTHALAMUS**, 1068p
- HYSTERIA**, 1081p; ther. 1160w
- IDIOCY**, mongolian 1026u,1088i,1088j,1130f
- ILEITIS**, regional 1007k,1017t,1035-1,1106g,1128b, 1166v
- ILIUM**, surg. 1128v
- ILLUSTRATIONS**, 1118h
- IMIDAZOLES**, eff. 1038k; ther. 1022u
- IMMUNITY**, 1127i,1134k
- IMPETIGO**, ther. 1171g
- IMPREGNATION**, 1091i
- INDOLE**, 1097k
- INDUSTRY AND OCCUPATIONS**, 1059g,1061j,1061u, 1078k,1078m,1156o,1156p; dis. & pois. 998m, 1061w,1074-1,1096g,1114t,1118c,1139h; hyg. 1115i,1132d,1156j,1156-1,1156r,1181e; inj. 1016g, 1020u,1061r,1125a,1156o; med. & surg. 998i, 1020o,1061h,1082w,1107-1,1132c,1156n,1156q, 1171o
- INFANTS**, dis. 1116s; feeding 1018u,1115f,1115p, 1170s,1174s,1182i,1183d,1183e; mortal. 1113e, 1135q; nutrition & nutritional disorder. 1015e; pre-mature 1134w,1164c
- INFANTS, NEWBORN**, 1182k; blood in 1117v; dis. 1000v,1027c,1065n,1070k,1135t; weight 1072b, 1135t
- INFECTION**, 1021m; exper. 1021g; focal 988a, 1178a; in inf. & child. 999v; ther. 999p,1161w, 1171n,1173n
- INFLUENZA**, 1162w; epidemiol. & statist. 1139r; virus 1005n,1005o,1048a,1048d,1048e,1108v
- INFRA-RED RAYS**, eff. 1099e
- INOMINATE BONE**, 1086j
- INOSITOL**, 1098a,1104j
- INSANITY**, puerperal 1084d; ther. 1018k
- INSECTICIDES**, 992m,1047d,1058f,1192-1
- INSECTS**, 986b,1094a,1103e,1104f
- INSPIRATION**, 1138b
- INSTINCT**, 1086u
- INSTRUMENTS**, 993i,994m,994r,1097m,1100k,1105e
- INSULIN**, 1004r,1053c,1058h,1081e,1110n; eff. 1052v,1168i,1168j; ther. 1163n
- INSURANCE**, 1061-1; sickness 1006a,1117r,1119h, 1156q
- INTELLIGENCE**, 1024q,1028c,1138n,1180n,1184u
- INTERNSHIP**, 1156g
- INTESTINES**, 1056a; anastomosis 1003c,1159-1, 1188s; bact. 1015u,1097j,1097u,1097v,1176c; blood supply 1141o; cancer 1010p,1036c,1170-1; dis. 989g; diverticula 1110b,1120n,1157t,1187v; epiploic appendages 1036j; feeding 1038g; gangrene 1120q; intubation 1039o; obstruct. 1006e, 1013i,1017p,1026w,1035u,1036d,1037p,1040a,1110b, 1110h,1118e,1119g,1126e,1183j,1189b; pain 1188o; parasites 1166q; pathol. 999r,1039q; perf. 1011-1,1118e; roent. 1063s; surg. 1034o,1039m; tumors 1067u,1176n; volvulus 1000e,1011-1, 1109e,1120q,1173i
- INTUSSUSCEPTION**, 1014s,1033a,1034j,1037c,1037g, 1037w,1105u,1186n; ther. 1168e
- IODINE AND IODINE COMPOUNDS**, 990h,1092d,

- 1192-l; eff. 10870; metab. 1084r
JODOPHTHALEIN, 1157r
ION TRANSFER, 1058s
IONS, 1053j
IRIDOCYCLITIS, 1133g
IRIS, atrophy 1133b
IRON, 1108t, 1132j, 1189r; metab. 995d, 1148i; ther. 1116r
IRRITATION, 1016r
JAUNDICE, 1004d, 1065q, 1091q, 1119c, 1166o, 1176r, 1178j; compl. & seq. 1120d; diag. 1036s; ther. 1118k
JAWS, anat. & histol. 1067t, 1089t, 1127v; cysts 1100v, 1149a; deform. 1067d, 1088s, 1180b, 1187-l; dis. 1036a, 1055f, 1101m, 1101n, 1150b; disloc. 1169b; fract. 1077b, 1149a, 1149d; osteomyelitis 1101n; surg. 1034m, 1038s; tuberculosis 1101o; tumors 1149e
JEALOUSY, 1173b
JELLYFISH, 1093m
JOINTS, 988g, 1076b; abnorm. 1128k; dis. 1013p, 1179d; surg. 1128k; tuberculosis 1124w, 1174a
JURISPRUDENCE, MEDICAL, 1102r, 1113m; expert testimony 1010t; in Austria 1125i
KERATITIS, etiol. & pathogen. 1084f
KERATOCONJUNCTIVITIS, 1139h
KERATOSIS, follicularis 988n; gonorrheal 1023w, 1045m
KIDNEYS, abnorm. 1044a, 1113a, 1126d, 1126g, 1190r; artif. 1006k; blood supply 1018v, 1123-l, 1138c, 1162u, 1176-l; calculi 1011h, 1017r, 1044v, 1190n; cancer 1037t; cysts 998v, 1010a, 1121j; dis. 1001a, 1062w, 1109i, 1120p, 1159i, 1171d, 1183c; excise. 1044o, 1142v, 1161j, 1190r; function tests 1116d, 1162s; insuff. 1019r; movable 1044m, 1113a; necrosis 1168-l; pathol. 1063c, 1072n, 1190o; pelvis 1044t; physiol. 989r, 999-l, 1053f, 1053p, 1053v, 1108v, 1138c, 1162a, 1167w; roent. 1185w; sarcoma 1190q; surg. 1035f, 1035g; tuberculosis 1070a, 1177s, 1188r; tumors 1070f, 1111n, 1158p, 1190p; wds. & inj. 1039j, 1044s, 1163q
KNEE, 1083w; dis. 1016g, 1040s; tumors 1128s; wds. & inj. 1117m, 1128t
LABOR, compl. 1003m, 1016g, 1023f, 1059o, 1060r, 1076m, 1106n, 1124w, 1154s; conduction 1082i; drugs in 996u, 1023g; duration 1060c; forceps in 1001-l, 1060p; hemorrh. 1060o, 1120j, 1120r; induction 1001f; presentation 1016g, 1060a, 1106e
LABORATORIES, 1012a; diag. 1109k; hosp. 1156h; technic 1003o
LACRIMAL ORGANS, dis. 1119f; surg. 1072u, 1132t
LACTATION, 1158s; physiol. 985s
LARYNX, cancer 1063p, 1089r, 1115a; cysts 1090e; edema 1013g, 1126n; spasm 1036j, 1159o; strict. 1181o; surg. 1020-l; tuberculosis 1124g; tumors 1090d; wds. & inj. 1035v
LAURENCE-MOON-BIEDL SYNDROME, 1117i, 1134h
LEAD, metab. 1027-l; tox. 1016t, 1021q, 1116s, 1116t, 1177m, 1182d
LEARNING, 1094m, 1138o, 1138p
LE CORBUSIER, 1139e
LEECHES, 1090j
LEFT AND RIGHT-HANDEDNESS, 1113g; exper. 1138s
LEGS, fract. 1034a, 1034i, 1069q, 1143f; wds. & inj. 1034a, 1034i
LEISHMANIASIS, 1010k, 1042b, 1122o; ther. 1041c
LENS, CRYSTALLINE, 1089a; abnorm. 1009u
LEPROSY, 1041q, 1156w, 1157b, 1157f, 1157g; classification 1157b, 1175g; diag. 1109n, 1156v; epidemiol. & statist. 1004c; serology 1045n; ther. 1043b, 1157a, 1157c, 1157d
LEUKEMIA, 1008-l, 1091p, 1095k, 1115g, 1162j, 1163i; blood in 1165d; lymphatic 988u, 1162g; lymphoid 1147d; monocytic 1169h; myelogenous 1001j, 1007-l, 1017j, 1160a; ther. 1010n, 1018g, 1078n, 1123b, 1124a, 1189h
LEUKOCYTES, 1118-l; count 1020h, 1115i; physiol. 1151r
LEVULOSE, 1148q; metab. 1148r
LICHEN, planus 988s
LIFE, 1103a; duration 1059g
LIGAMENTS, inflamm. 1095r
LIGHT, 994s
LIGHTING, 1009g
LIGNIN, 1052f
LIPASE, 1052p
LIPODYSTROPHY, 1168j
LIPOIDS, 1098a, 1110m, 1148k
LITERATURE, 1028h
LITHIUM, ther. 1118c
LIVER, 1055w, 1111a, 1148-l; abscess 1109p; amebic abscess 1066s; biopsy 1015a, 1075o, 1091t, 1117g, 1172i; cancer 1016o, 1146k, 1146o; cirrhosis 1011e, 1011k, 1118g, 1160v, 1165-l, 1168-l; cysts 1013t, 1033n, 1187b; dis. 998w, 1023j, 1077e, 1123t, 1181w; echinococcosis 1083h, 1125r; edema 1015r; extract 1015j, 1072d, 1118g, 1136p; fats & lipoids 1053u, 1104j; function tests 989i, 1066e, 1118u, 1120u, 1174r, 1183j, 1187g; pathol. 989g, 1021d, 1091b, 1181u; physiol. 1167a; polar bear 1058i; tumors 1124s; wds. & inj. 1054d, 1085c
LOVE, 1184q
LUNGS, abnorm. 1003f, 1169h; abscess 1141k; blood supply 1142d; calcification 1178k, 1190c; cancer 1005s, 1010v, 1035v, 1063p, 1071u, 1075r, 1114w, 1141f; collapse 1001e, 1078h, 1096e, 1161h; cysts 1141g; develop. 990g; dis. 1001o, 1005r, 1061k, 1072p, 1163a; echinococcosis 1017g; edema 1173q; fibrosis 1055r; roent. 1021k, 1063m, 1091u, 1189m; surg. 1024a, 1043h, 1065u, 1069t, 1120c, 1123d, 1141a, 1141e, 1141h, 1141k, 1171e, 1173d, 1186s; tumors 1014h, 1041b, 1063o, 1111v, 1140d, 1146u, 1146v; wds. & inj. 1033i, 1141h
LUPUS, erythematosus 1070a, 1135g; ther. 988t
LYING, 990v
LYMPH NODES, dis. 988s, 1011u, 1035i, 1110t; inflamm. 1008n; pathol. 1006s; surg. 1084-l; tuberculosis 1078p, 1134m; tumors 1012r
LYMPHATIC SYSTEM, physiol. 1164s
LYMPHOCYTES, 1173h; count 1000q, 1183g
LYMPHOGRANULOMA VENEREUM, 1044h, 1045w
LYSOZYME, 1106t
MACULA-LUTEA, 1023m, 1133f
MAGNESIUM, 992-l, 1132g; sulfate 1180r
MALARIA, 1019c, 1029c, 1083k, 1107o, 1108a, 1110j, 1143o, 1158i, 1165-l; epidemiol. & statist. 1041w, 1042n; falciparum 998s; plasmodium 1057m, 1107v, 1108e; prev. & control 1030f, 1107n, 1108h, 1189q; tertian 1042a, 1067w, 1110r; ther. 1029d, 1082s, 1092s, 1105d; trans. 1108d
MANGANESE AND COMPOUNDS, 1023-l, 1104v; tox. 1062i
MANOMETERS, 995f, 995j
MARRIAGE, 1118g
MASTICATION, 1090f, 1150c
MASTOID, surg. 1036t, 1133s
MASTOIDITIS, 1181p; compl. & seq. 1180h; in inf. & child. 1089u; ther. 1090j
MATERNITY, 1139b; morbidity & mortal. 996v, 1059r, 1060i, 1080o, 1118a; welfare 1163w, 1164b, 1164d, 1164e, 1164f
MAXILLARY SINUS, inflamm. 1095q; tumors 1089s
MAXITON, 1071g
MEASLES, 1072f, 1134v; compl. & seq. 1070m; ther.

- 1068o
MEAT, 1025o; in diet 1025m; inspection 1030d; vitamin content 1025p
MECONIUM, 1040a
MEDIASTINUM, 1080g; surg. 1186s; tumors 1043j, 1090u, 1091u, 1140n, 1177p
MEDICINE, 998n, 1000g, 1007b, 1007s, 1011b, 1014w, 1079b, 1082f, 1084v, 1114b, 1115r, 1116v, 1168o; cults 1023b; folklore & superstition 1075a; hist. 1033b, 1156c; in Canada 1001d; in Gt. Brit. 1121v, 1121w, 1122a, 1122b, 1122c, 1122f, 1136b; in Hawaii 998k; in Netherlands 1121e; in Scotland 1122d; in Spain 997e; in Virginia 1177b; progr. 1171i, 1177j; publicity 1115e; rural 1107k; soc. aspects 987u, 1013k
MEDOMINE, 1015-l
MELANIN, metab. 1002f; pigmentation 1063j, 1074r
MELCHERSON SYNDROME, 1126p
MELANA, 1176n
MENINGES, hemorrh. 1125u, 1163u, 1186j; syphilis 1063k; tuberculosis 1000m, 1016a, 1023o, 1125p, 1166p, 1169g; tumors 1090l
MENINGITIS, 1069t, 1073b, 1087c, 1110f, 1179s, 1181p; compl. & seq. 1131m; etiol. & pathogen. 1068a, 1088w, 1095b, 1130p, 1180g; in inf. & child. 1116e, 1135t, 1177c; influenzal 1027a, 1116q, 1167h; ther. 1090c, 1175f
MENINGOCELE, 1025g
MENINGOENCEPHALITIS, 1166j
MENOPAUSE, 996g; disord. 1012p, 1115t
MENSTRUATION, 996e, 1013m, 1022n, 1032i, 1059p, 1105i; disord. 1161g, 1166h, 1169n, 1175i
MENTAL DEFICIENCY, 1129u, 1129v, 1129w, 1130a, 1130b, 1130c, 1130f, 1130i, 1130j, 1130k; educ. in 1130d, 1130e, 1130g
MENTAL DISEASES, 1013w, 1040u, 1180p; ther. 1118c, 1120h, 1179k
MENTAL HYGIENE, 1139o
MENTAL TESTS, 1000-l, 1028i, 1028j, 1029q, 1088k, 1088-l, 1130i, 1184s
MERCURY, 1150i; tox. 1120p
MESCALINE, 1117h
MESENTERY, abnorm. 1011-l; cysts 1008e, 1105m; tumors 1162i
METABOLISM, 994n, 1025j, 1048r, 1078i, 1166b, 1171w; disord. 1132m, 1162w, 162w
METACARPUS, fract. 1175-l
METALS, 1057j, 1057k
METEOROLOGY, 1078v, 1078w
METHIONINE, 1053b
METHYL ALCOHOL, tox. 1107e
METHYL CELLULOSE, ther. 1077a
METHYLAMINE, determ. 1053q
METRAZOL, 1081o; tox. 1081q
METTYCAINE, tox. 1170e
MICRO-ORGANISMS, 1057v
MICROSCOPY, 991g, 991h, 1071n; appar. 992h; electron 994t, 1005j, 1005k, 1125d; technic 1153u
MICROWAVES, 1095m
MIDWIVES, 1029u, 1171j
MIGRAINE, 1135c, 1158k
MILITARY AND NAVAL MEDICINE, 1019e, 1023t, 1023u, 1024c, 1065-l, 1085i, 1085j, 1178r, 1192j; appar. 1192o
MILK, 1103h, 1139-l; fat. 1053a; human 1026u, 1112t; hyg. 1030c, 1073m; irradiated 1139i; pasteurization & sterilization 1139g
MINERALS, 995i
MINES AND MINING, 1058d
MITES, 1042i
MITRAL VALVE, strict. 1011r, 1066c, 1077f
MOLLUSCUM, contagiosum 988w, 989a
MONILIASIS, 1055m, 1062r
MONONUCLEOSIS, INFECTIOUS, 1112h, 1115b; compl. & seq. 1178j
MORPHINE, 1192e; eff. 1138q
MOSQUITOES, 1029f, 1042h, 1042k, 1047b, 1047c, 1048k, 1108b, 1108f, 1108g, 1189t; eradication 1042j, 1146d; parasites 1042f
MOTION SICKNESS, 1178-l
MOUTH, cancer 988c, 1037-l, 1054t, 1080w, 1100u; dis. 1076r, 1101n, 1101p; hyg. 987s; roent. 1055d, tuberculosis 1101o
MOVEMENTS, disord. 1131q, 1179r
MUCOUS MEMBRANE, 1027r
MUSCLES, 1104u, 1128-l, 1151v; anat. & histol. 1157u; contractions 1080k; dis. 1033q; pain 1158g; pectoral 1187j; physiol. 1152v, 1152w; supraspinatus 1086m, 1086o; tuberculosis 1090d
MUSIC, 1028m, 1040u
MUSTARD GAS, 1078o
MYANESIN, 985f
MYASTHENIA, 1174s; gravis 999u, 1021i, 1071d, 1172-l
MYATONIA, congenita 1027c, 1070q
MYCOSIS, 1075u
MYELITIS, 1002t, 1025w, 1169c
MYELOCLEROSIS, 1018e
MYOCAIN, ther. 1127j
MYOPIA, 1022r, 1025s
MYXEDEMA, 1064v, 1127e
NAILS, dis. 1189a
NASOPHARYNX, dis. 1000v; inflamm. 1180g; pathol. 1181k; tumors 1071j
NECK, anat. & histol. 1055c; cysts 1034b; inflamm. 1183b; tuberculosis 1121r; wds. & inj. 1180q
NEEDLES, 1139v, 1166-l
NEGROES, 1185a
NEOMYCIN, 1092c
NEOSTIGMINE, ther. 1169n
NEPHRITIS, 1013g, 1066h, 1085r, 1090t; blood pressure in 1073b; glomerular 1018v, 1168b; ther. 1080f
NERVES, anat. & histol. 1051d, 1090q; degen. & regen. 1051g; hypoglossal 1069f; median 1109n; obturator 1128q; optic 1180c; peripheral 1015d, 1025f, 1036n; physiol. 1093i, 1093j; roots 1160q; sciatic 1111-l; trigeminal 1130m
NERVOUS SYSTEM, 1000v, 1078w; abnorm. 1137h; anat. & histol. 992q; dis. 1008e, 1033q, 1131-l, 1131n, 1131u, 1134w; eff. of drugs on 1176f; physiol. 1094m, 1095-l, 1099t, 1137d, 1137e, 1137i, 1137v; surg. 1067i; tumors 1141q
NERVOUS SYSTEM, SYMPATHETIC, 1137c, 1171w, 1179q; blocking 1177m; eff. of drugs on 1038k; thysiol. 1137s
NEURALGIA, 1079j; brachial 998-l; ther. 1150f
NEURITIS, 1012u; axillary 1117j; multiple 1135f; optic 1025w, 1170a
NEUROFIBROMATOSIS, 1045b
NEUROLOGY, 1082a
NEURONS, 1111-l, 1153o; pathol. 1012u
NEUROPSYCHIATRY, 1013a, 1079r
NEUROSES AND PSYCHONEUROSES, 1004k, 1017e, 1064m, 1074w, 1113-l; anxiety 1109e; cardiac neuroses 1082i
NEUROSURGERY, 1180c
NEUROSYPHILIS, ther. 988o, 1068s
NEVI, 988n, 1063j
NICOTINIC ACID, 1132-l; eff. 1155t; metab. 1166q; ther. 1175q
NIGHT BLINDNESS, 1026d, 1127w, 1180w
NIENTIL, 996u
NITRATES, 1052s; determ. 1183d
NITRILES, eff. 1061f
NITROGEN, 1038h, 1053i; determ. 987i; metab. 1141u; oxides 991s; tox. 991u, 991v
NITROGEN MUSTARDS, 1046d, 1062n, 1076h; eff. 1099e, 1104r; ther. 1000a, 1021v, 1045e, 1157o
NOISE, 1048t

- NOSE, deform. 1177d; dis. 1170q; fract. 1014e, 1121t; mucosa 1145e; polypl 1090t; surg. 1089n, 1089o, 1187k; wds. & inj. 1036p
- NOVARSENO, 1144t
- NUCLEIC ACIDS, 1105d, 1106e, 1107a, 1148g, 1152k; eff. 1172g
- NURSES AND NURSING, 1042u, 1122e; educ. 1132c; indust. 1156p; pub. health 1173a
- NUTRITION, 1016p, 1077w, 1171o, 1173a, 1173g; disord. 1008b, 1055w, 1083h, 1159-1
- NYSTAGMUS, miners' 1009k
- OBESITY, 1001p, 1004a, 1015o; ther. 1071g, 1084a, 1110o, 1162p
- OBSTETRICS, 1014d, 1083p, 1164c; hist. 1040c, 1040t
- OCCUPATIONAL THERAPY, 1040q
- OIL, 1059a, 1184m; injections 1064k
- OLD AGE, 1024n, 1059g, 1059h, 1059i, 1074j, 1168r, 1184s; dis. 1084q; surg. in 1032m, 1043w
- OLIVE, 1068k
- OMENTUM, 995t; infarct. 1032t; tumors 1114f
- ONCHOCERCIASIS, 1132t
- OPHTHALMIA, neonatorum 1066w, 1114m
- OPHTHALMOLOGY, 1014q, 1076q, 1181a; appar. 1088u, 1133c
- OPTIC CHIASM, 1022s, 1133d, 1177e
- OPTICS, 1010g
- ORBIT, dis. 1022v; surg. 1133g; tumors 1074m
- ORTHOPEDICS, 1122h, 1128r, 1167b; appar. 1129j; progr. 1171-1; teaching 1129c, 1129d, 1129e, 1129j
- OSMOSIS AND PERMEABILITY, 1058a
- OSTEITIS, deformans 1140o, 1173p
- OSTEOARTHRITIS, ther. 1040s
- OSTEOCHONDRITIS, deformans juvenilis 1186a
- OSTEOMYELITIS, 1082p, 1091p, 1124s, 1135f; roent. 1140e; ther. 1034u, 1070g, 1071e, 1112h
- OSTEOSCLEROSIS, 1119c, 1162j; diag. 1017j
- OTITIS, compl. & seq. 1090b
- OTITIS MEDIA, 1134b; in inf. & child. 1089u; ther. 1013s, 1134d
- OTORHINOLARYNGOLOGY, 1076r, 1158u
- OTOSCLEROSIS, 1181m; surg. ther. 1065b; ther. 1080s, 1181h
- OVARY, 1103w; anat. & histol. 991p; cancer 996d, 996e, 1013d, 1060d, 1060s, 1070s, 1125n; cysts 997k; excis. 1001n, 1060t; hormones 1022n, 1093d, 1158j; inflamm. 1123s; rupt. 1060e; tumors 996c, 996j, 1006p, 1059s, 1060b, 1060n, 1063d, 1120m, 1122v, 1167t
- OVULATION, 996t, 1126v
- OVUM, 992n
- OXAZOLIDINEDIONES, tox. 1176a
- OXIDASE AND PEROXIDASE, 1147k
- OXIDATION-REDUCTION, 994e, 1052v
- OXYGEN, 1067a, 1161b; defic. 1046k, 1055w; ther. 1142b; tox. 1058m
- OXYURIASIS, 1077m
- OXYURIS, vermicularis 1085v
- PAIN, 1036h, 1071r; ther. 1002n, 1016k, 1035n
- PALATE, cleft 1033h; inflamm. 988u
- PALLADIUM, 991m
- PANCREAS, cancer 1034s; cysts 1001j; dis. 1188o, 1189k; pathol. 1157t; surg. 999f; tumors 1033o; wds. & inj. 1055u
- PANCREATITIS, 1022c, 1039u, 1068f, 1186i; compl. & seq. 1003m, 1083f; etiol. & pathogen. 1177d; ther. 1022k
- PANNICULITIS, 988q
- PANTOTHENIC ACID, ther. 1008o
- PAPYRUS, 1033b
- PARALYSIS, brachial 1174m; cerebral 1129i, 1130h; cranial 988r; facial 1007g, 1167c; general 1078s, 1085a; oculomotor 1070k; phrenic 1142t; pterygoid 1180b; rectus abdominis 1010d; serratus 1164w; spastic 1161n; spinal 1174m; ulnar 1032m
- PARAMECIUM, 1146h
- PARAPSORIASIS, 1055k
- PARASITES, 991r
- PARATHYROID, 1178w; dis. 1011h, 1016c, 1018t, 1076e, 1157k; excis. 1145g, 1145h; insuff. 1132r; tumors 1011h
- PARATYPHOID, 1077o; compl. & seq. 1066m; ther. 1010h
- PARKINSONISM, ther. 1005d, 1011v, 1019w, 1078f, 1169w
- PARONYCHIA, ther. 1076i
- PAROTID GLANDS, abnorm. 1143h; tumors 1010v, 1040e
- PAROTITIS, 1164k; epidemiol. & statist. 1139e; prev. & control 1029n
- PARPANT, ther. 1011v
- PATELLA, fract. 1036e
- PATENTS, 1040w
- PATERNITY, 1102p
- PATHOLOGY, 1137o
- PATIENTS, 1122f
- PEANUTS, 1153k
- PECTIN, 991n, 1151h
- PEDIATRICS, 1071c, 1082q; progr. 1171j; surg. in 1158w
- PEDICULI, 1095f, 1104g
- PELLETIERINE, 993c
- PELVIS, 1006-1; cancer 1170g; innerv. 1035b; measurement 1079s, 1095o, 1105r; roent. 996n; surg. 1024g; tumors 1091c
- PEMPHIGUS, in inf. & child. 1008q
- PENICILLIN, 1007c, 1012m, 1049j, 1073v, 1082q, 1101h, 1110c, 1165r, 1182j; admin. & dos. 1073v, 1075-1, 1092r, 1112r, 1125v, 1175s, 1189m; determ. 1054a; eff. 1022o, 1077j, 1092i, 1097o, 1105b, 1144-1, 1147c, 1167d, 1170h; ther. 999n, 1001o, 1004n, 1008t, 1010j, 1013r, 1013s, 1014p, 1021m, 1022p, 1045m, 1070c, 1071p, 1071s, 1072p, 1076i, 1078s, 1085a, 1090c, 1090j, 1106b, 1109g, 1109s, 1112h, 1114m, 1121b, 1126m, 1131u, 1143j, 1144n, 1181a; tox. 1065a, 1160n; venereal dis. ther. 988o, 1000h, 1013c, 1013u, 1045p, 1045t, 1068s, 1075h, 1144e, 1178a, 1191u
- PENICILLINASE, 1052i
- PENICILLUM, 1147r, 1147s
- PENIS, dis. 1187n; surg. 1187n; wds. & inj. 1191f
- PENTAMIDINE, ther. 1018g
- PEPTIC ULCER, 1064c, 1142g, 1157k, 1168g; compl. & seq. 1034w, 1177q; diag. 1162k; etiol. & pathogen. 1112o, 1117d; exper. 1039-1; hemorrh. from 1083r, 1174b; perf. 998t, 1007q, 1032o, 1083u, 1116v, 1176s; surg. ther. 1000s, 1008w, 1020t, 1033e, 1034w, 1035c, 1035m, 1083q, 1112q, 1114j, 1115b, 1142-1, 1177-1, 1178h, 1187e; ther. 1017d, 1075i, 1116j, 1116k
- PEPTIDES, 991w, 1103p
- PERCEPTION, 1028d, 1028q; disord. 1020c
- PERFUME, 1055n
- PERIARTERITIS, in inf. & child. 1182o; nodosa 1054w, 1070a, 1077u
- PERICARDITIS, adhesive 1115n, 1141c; hemorrhagic 1119r
- PERICARDIUM, hemorrh. 1063p, 1119h
- PERIODICALS, 1166w
- PERIODONTITIS, ther. 1122-1
- PERIODONTIUM, 1149k, 1150a; dis. 1054s, 1150d
- PERITONEUM, blood supply 1142n; pseudomyxoma 1011b; tuberculosis 1069c
- PERITONITIS, 1016h, 1040a, 1070c, 1135g; compl. & seq. 1189k; enterococci 1170n; etiol. & pathogen. 1010j; ther. 1037p, 1173j
- PERSONALITY, 1002o, 1028k, 1087-1, 1185b; tests 1028o, 1094-1, 1131f

- PESSARY, 1040b
 PETROLEUM PRODUCTS, tox. 1091u
 PHAGOCYTES and PHAGOCYTOSIS, 1050f, 1118q
 PHARMACOLOGY, 1027m, 1126s
 PHARMACY, 1092t, 1122e, 1136s, 1156g, 1184k; educ. 1093b; hist. 1136d; in Finland 1092r; in Sweden 1093d; teaching 1156e
 PHARYNX, dis. 1170q; diverticula 1121-l; tuberculosis 1124g
 PHENOL, metab. 1147o
 PHENOLS, 1152q
 PHENOPHTHALEIN and DERIVATIVES, tox. 1055j
 PHENOSULFAZOLE, ther. 1182v, 1183a
 PHLEBITIS, compl. & seq. 1188k; ther. 1166t
 PHLEBOTOMUS, 1042j
 PHOSPHATASE, 990a, 992t, 1053m, 1056f, 1082c, 1090r, 1096s, 1103r, 1111-l, 1142o, 1191a; antagonists 1104v
 PHOSPHORUS and PHOSPHORUS COMPOUNDS, 1127-l, 1148d, 1148j, 1148s
 PHOTOGRAPHY, 994p, 994u, 1156h; appar. 989c
 PHYSICAL EDUCATION and TRAINING, 1185n
 PHYSICAL EXAMINATION, 1007j, 1107m, 1185k
 PHYSICAL MEDICINE, 1040-l
 PHYSICIANS, 1004r, 1111b, 1117q, 1169v
 PHYSICS, 1129t
 PHYSIOLOGY, 1099v, 1137o, 1138e; teaching 1099j
 PICK'S SYNDROME, 1168v
 PICROTOXIN, ther. 1079w
 PIGMENTATION, cutaneous 1126e
 PIGMENTS, 1147u, 1147v
 PILOCARPINE, tox. 990r, 1183o
 PITUITARY BODY, 990j, 992t, 1056v, 1145h; anat. & histol. 1122p; cysts 1145d; excis. 1056k, 1056m, 1098o, 1098q, 1098r, 1098t, 1176j; physiol. 1075p, 1171p; transpl. 1117a, 1099b; tumors 1062s, 1088t
 PITUITARY PREPARATIONS, 989m, 990i, 1056j, 1056m, 1098o, 1098q, 1098r, 1098t, 1102a, 1102b, 1134a, 1154v, 1171u, 1175w; eff. 990e, 990f, 990h, 1053c, 1098n, 1101u, 1145g, 1145h, 1185p; ther. 989-l, 1068v
 PLACENTA, 1021f, 1140m; adherent 1033b, 1060p; praevia 996-l; premature separation 989o, 1114k; preparations 1056m, 1147k
 PLAGUE, 1030r; epidemiol. & statist. 1094q
 PLANTS, 986a, 1146a; dis. 1145t, 1152n
 PLASTICS, 1123d
 PLEURISY, progn. 1113p; with effusion 1026t, 1072-l, 1158-l
 PNEUMOCEPHALUS, 1002b, 1015r
 PNEUMOCOCCI, immun. 1048i
 PNEUMOCOCCOSIS, 1003j, 1052a, 1061k, 1062f, 1062g, 1062h, 1062i, 1062j, 1107d, 1118d, 1140o, 1156s, 1157m, 1177h, 1177i, 1177j
 PNEUMONIA, 999q, 1062i, 1098d, 1098e, 1098g, 1141i, 1157m, 1181t; compl. & seq. 1091w; epidemiol. & statist. 1076a; etiol. & pathogen. 998r, 1166k; in inf. & child. 1013r; lipid 1119q; roent. 1186c; ther. 1121b, 1125v, 1162b
 PNEUMOPERITONEUM, 1043t, 1158f, 1169b; artif. 1043s, 1096f
 PNEUMOTHORAX, 1096f, 1110n, 1158f; artif. 1151s; in inf. & child. 1020n
 PODOPHYLLUM, eff. 1146v
 POISONS and POISONING, 1066k, 1109o, 1121d, 1126s, 1183q; metallic 1061o; ther. 1078s
 POLIOMYELITIS, 1000u, 1007g, 1026s, 1027b, 1033p, 1071o, 1129i, 1139r, 1162e, 1164h; diag. 1114t; etiol. & pathogen. 1012-l; exper. 993v; hist. 1068c; ther. 1091k, 1105e, 1114t, 1131o, 1182v, 1183a; virus 1005j, 1005p, 1073j, 1176j
 POLYCYTHEMIA, 999s, 1021-l, 1157k, 1160a, 1168t; blood in 1165d; ther. 1010n
 POLYGALA, 1027w
 POLYMERIZATION, photochemical 991-l
 POLYMYXINS, 1009o, 1104k; ther. 1070t, 1191i
 POPULATION, 991j, 1072e, 1094p, 1103j, 1184i
 PORPHYRINS and PORPHYRIN COMPOUNDS, 1147p, 1148a; metab. 1054f, 1169n, 1175p
 PORTAL VEIN, blood pressure in 1012n, 1033u; obstruct. 1169a, 1169i
 POTASSIUM, 999o, 1148b; eff. 1027q, 1093j; metab. 1038f, 1046u
 POTATOES, 1148b
 POWDERS, 1104b
 PREGNANCY, 997r, 999c, 1002d, 1006-l, 1037a, 1040f, 1060b, 1060t, 1118g, 1127a, 1166b; blood in 1000k, 1019n, 1105q; blood pressure in 996q, 1106k; compl. 996k, 1035s, 1040b, 1078g, 1082s, 1090k, 1105m, 1105u, 1105v, 1106k, 1118g, 1118o, 1119o, 1187s, 1188w; diag. 1006k, 1059t, 1073p, 1116a, 1152m, 1167d, 1172v; diet in 1118i; ectopic 1060j, 1063u, 1106g; heart in 1073p, 1105r, 1187g; hemorrh. 996q, 1007i; heterotopic 1178i; kidney in 1154t; liver in 1065q; physiol. 1158s; toxemia 1013k, 1060o, 1106k; vomiting in 1189k; weight in 996e, 1075v
 PRESCRIPTIONS and PRESCRIBING, 1168n
 PROCAINE and PROCAINE COMPOUNDS, 1074i, 1156t; admin. & dos. 1092n; ther. 1033e, 1077e, 1086m, 1109g, 1122u, 1128r, 1160j
 PROGERIA, 1179u
 PROLUTON, 1008g
 PROMIZOLE, 1092w
 PROPYL FLUOROPHOSPHATE, eff. 1007o
 PROPYLENE GLYCOL, tox. 1061i
 PROSTATE, 1020b, 1053m, 1146m; dis. 1037t, 1177b; hypertrophy 1035c, 1035h, 1166g; infarct 1190w; massage 1191a; pathol. 1176h; sarcoma 1190w; surg. 1045c, 1142w, 1188g, 1188k, 1190v
 PROSTATECTOMY, 1044g, 1159n, 1188r, 1191b; retropublic 1021a, 1044-l, 1077k, 1114o, 1121m, 1161d; suprapubic 1177u
 PROTEINS, 991p, 992a, 1014t, 1015n, 1038h, 1054g, 1122u, 1162q, 1164m; defic. 1109c; determ. 993a, 1153j; in diet 1021w, 1032q, 1043j, 1043-l, 1054d, 1067a; metab. 1005-l, 1093i, 1132i, 1164n, 1188i
 PROTHROMBIN, 1077e, 1117b, 1124n
 PROTOPLASM, 1019k, 1106s
 PROTOZOA, 1099b
 PRURITUS, anal 989h, 1020r, 1039v; in inf. & child. 1161-l; in ther. 989a, 1045d, 1182z; vulvar 1039v
 PSEUDOLEUKEMIA, diag. 1017j
 PSEUDORABIES, 1073i
 PSEUDOTUBERCULOSIS, 1174d
 PSEUDOXANTHOMA, elasticum 988g, 1076q
 PSORIASIS, ther. 1001a
 PSYCHIATRY, 1018q, 1022h, 1024j, 1024q, 1087f, 1083p, 1131a, 1138j, 1174p, 1179k, 1179n, 1180o; clinics 1088c; in Ireland 1088i; in U.S. 1015d; indust. 1002o; progr. 1113v
 PSYCHOANALYSIS, 1087a, 1130v, 1131g
 PSYCHOLOGY, 1024u, 1028f, 1028m, 1028n, 1028r, 1094d, 1094g, 1094h, 1094k, 1103s, 1130i, 1138s, 1150w; comparative 1094g; hist. 1028-l; in U.S.R. 1094e; soc. 1184u
 PSYCHOSOMATIC MEDICINE, 1014b, 1014d, 1020w, 1067-l, 1069p, 1078c, 1083n, 1116m, 1167v, 1175o
 PSYCHOTECHNICS, 1061r
 PSYCHOTHERAPY, 1015i, 1015g, 1018n, 1020v, 1024p, 1028k, 1074w, 1075m, 1083o, 1111s, 1131k, 1179j
 PTERINS, 1130o
 PTOMAINES, 1151o
 PUBERTY, precocious 1026p
 PUBLIC BONE, dis. 1044k; surg. 1105t
 PUBLIC HEALTH, 1029j, 1029o, 1029t, 1030k, 1075-l, 1082f, 1095h, 1101s; cooperation 1072h; educ. 1139-l; in Brit. Columbia 1139j; in Gt. Brit. 1121w, 1122a, 1122b, 1122c, 1122d, 1152f; in Japan

- 1114n; officers 1029p
PUERPERAL INFECTION, 1082k, 1166v; prev.
 1114r; ther. 1114r
PULMONARY VALVE, strict. 1141d
PULSE, exam. & recording 1161j; rate 985f
PUPILS, abnorm. 1025t
PURINE AND PURINE BASES, 1167w
PURPURA, haemorrhagica 999s, 1008-1, 1008s,
 1010e, 1066m, 1073d
PYELONEPHRITIS, 1011f, 1068k
PYLORUS, 1116h; hypertrophy & stenosis 1036d,
 1065k, 1066j, 1084g
PYODERMA, 1134s
PYONEPHROSIS, 1044g
PYRAMIDAL TRACT, pathol. 1090c; surg. 1019w
PYRAZOLONE DERIVATIVES, 1184d
PYRIBENZAMINE, ther. 1182v
PYROGENS, 1047o, 1099o, 1156f, 1185-1
QUINIDINE, 1110i
QUININE, 1092k; eff. 1029d; ther. 1067w; tox.
 1109q
QUINOLINE AND QUINOLINE DERIVATIVES,
 1108h
QUINONES, eff. 1134-1
RADIATIONS, 1152o, 1186e, 1152e; eff. 1097r; inj.
 eff. 1003h, 1140h, 1141n, 1142c, 1188m
RADIOACTIVE SUBSTANCES, 1152g; appar. 1105f;
 calcium 994i; carbon 994c, 994i, 995c; chlorides
 1146s; colloidal gold 1047k; determ. 994p; dis-
 posal 1031m; estrogens 1052u; formaldehyde
 994i; gallium 1047q, 1047r; hemoglobin 1005m;
 hydrogen sulphide 1104e; iodine 994a, 995c,
 1009b, 1038e, 1153-1, 1171b; iron 1005i; lysine
 1005-1, 1005m; oxygen 1103u; phosphorus 994g,
 999s, 1058n, 1105c, 1141s; silver 1165i; sulfur
 1052u; ther. 1020q
RADIOACTIVITY, 991q, 994p, 1041g, 1100j; appar.
 994v
RADIOAUTOGRAPHY, 994g
RADIOGRAPHY, 1095w
RADIOLOGY, 1065e
RADIUM, ther. 1006s
RADIUS, abnorm. 1033h; disloc. 1170i; fract. 1080o
RADON, metab. 1100j
RAGWEED, 1030p
RAT BITE FEVER, diag. 1072s
RATS, extermination 1139f
REACTION TIME, 1138n
READING, 995j, 1080n, 1184o
RECREATION, 1059i
RECTUM, cancer 1033d, 1039d, 1065e, 1158d; inflamm.
 1009c; pathol. 1169m; prolapse 1037h; strict.
 1036w; surg. 1034o, 1120n; tumors 1006c; wds.
 & inj. 1187s
REFLEX, 1137d, 1137k; cardiac 1116n; conditioned
 985r, 1011d, 1011i, 1137g, 1137n, 1137q; nasal 1093w;
 ocular 1133k
REFUSE, 1030c
REHABILITATION, 1014g, 1030g, 1030h, 1030i, 1040-1,
 1078g, 1083o, 1112b, 1169q
REITER'S DISEASE, 1023w, 1045m, 1069-1
RELAXATION, 1152w
RELIGION, 1004g
RENNIN, 1062r
REPRODUCTION, 985u, 1050h, 1058a, 1093o; physiol.
 985s
RESEARCH, 1152c; med. 1068r, 1068c, 1103a
RESINS, ther. 1017d
RESPIRATION, 1074h, 1094a, 1108u, 1159b; artif.
 1065j, 1078n; disord. 1182n; physiol. 1015j, 1019t,
 1107d
RESPIRATORY TRACT, 1090j; bact. 1029a; dis.
 1049d, 1181j, 1184b
RESTAURANTS, 1094u, 1130d
RESUSCITATION, 1011d, 1011k, 1161o, 1161q, 1161r,
 1170g, 1175e, 1192f
RETICULOENDOTHELIAL SYSTEM, dis. 1155k,
 1182e; exam. 1008r; physiol. 1047k
RETINA, abnorm. 1022i; anat. & histol. 1089e;
 blood supply 1019d, 1069o, 1133c, 1158k; detached
 1009g, 1014p, 1022v, 1133n; pathol. 1026b; physiol.
 1093h, 1133k, 1152a; pigments & pigmentation
 988g, 1058g, 1076q; tumors 1004m
RETINOCHOROIDITIS, 1022v
Rh FACTOR, 992i, 1000k, 1102r, 1120k, 1154w, 1155i,
 1174v, 1175c
RHEUMATIC FEVER, 1085u, 1164a, 1178g; cardiac
 compl. 986s, 1011r, 1013e, 1041h; diag. 1129q;
 etiol. & pathogen. 1062t; ther. 1068s, 1084b,
 1110u, 1112n
RHEUMATISM, 1075p, 1078p, 1123m, 1129p, 1165m,
 1171p, 1178u, 1178w, 1179a, 1179e; ther. 1068h,
 1096k, 1129o
RHINITIS, atrophic 1134c
RHINOLOGY, 1133v
RHINOPHYMA, 1181m
RIBOFLAVIN, 1079f
RIBS, abnorm. 1022o, 1081t; tumors 1039r; wds. &
 inj. 1003b
RICKETS, 1116s; diag. 1182k; in inf. & child.
 1135k
RICKETTSIAL DISEASES, 1030t, 1042c, 1119u; diag.
 1119v; pathol. 1119w; ther. 1162a
RIGIDITY, ther. 1143d
RIGOR MORTIS, 1102s
RINGWORM, 988m, 1165a; ther. 1000b
ROCKY MOUNTAIN SPOTTED FEVER, 1080m,
 1119u, 1120a; epidemiol. & statist. 1115e
RODENTS, 1050h
ROENTGEN RAYS, 1039p, 1079u, 1140q; appar.
 1095w, 1139v, 1140r, 1186f; eff. 1029n, 1047i, 1047k,
 1052m, 1053t, 1098i, 1140i; inj. eff. 994t, 1039o,
 1047j, 1047o, 1050b, 1098k, 1140h
ROENTGENOTHERAPY, 1067f
RORSCHACH TESTS, 1088h, 1131c, 1131d, 1131e,
 1131f
RUBELLA, 1009d, 1105u
SACCHARIDES, 1051n, 1146s
SACRUM, tumors 1170e
SALICYL COMPOUNDS, 1069w; acetylsalicylic
 acid 1000b, 1026o; aminosalicylic acid 1002b,
 1043f, 1074b, 1076p, 1078r, 1092-1, 1123e, 1124n,
 1144a, 1172r, 1176j; methyl salicylate 1080d
SALIVA, 1150r; reaction 1150q
SALIVARY GLANDS, abnorm. 1143h; tumors
 1133v
SALMONELLA, 1106v, 1176d; infect. 1004v, 1066p,
 1069a, 1166k, 1170p; paratyphosis 1047g; typhi-
 murium 1139m
SALYRGEN, eff. 1093-1
SANOCRYSLIN, tox. 1084f
SARCOIDOSIS, 1119e, 1133t; compl. & seq. 1169j
SARCOMA, chondrosarcoma 1039r; exper. 1046d,
 1046f; fibromyxosarcoma 1037b; fibrosarcoma
 1146-1; Kaposi's 998t; liposarcoma 1090u;
 lymphosarcoma 1102-1, 1190q, 1190w; myosar-
 coma 1177r; osteosarcoma 1140o; reticulosar-
 coma 1112u
SCALP, 1014r; syphilis 1125a
SCANDIUM, 987j
SCAPHOID BONE, carpal 1023p, 1119f; tarsal
 1019i
SCAPULA, surg. 1086o
SCARLET FEVER, 1169r, 1169s; epidemiol. &
 statist. 1010j, 1125h; ther. 1064c
SCHISTOSOMA, 1042d
SCHISTOSOMIASIS, 1028w, 1042c, 1048a; epidemiol.
 & statist. 1192k; exper. 1048o; prev. 1042e
SCHIZOPHRENIA, 1018m, 1130w, 1131w, 1179j; ther.
 1088e

- SCHOOLS, special schools & classes 1130g
 SCHOOLS, MEDICAL, 1126s
 SCIATICA, 1015c, 1016q, 1086o, 1085d, 1170k; ther. 1025b, 1067j
 SCIENCE, 994f, 1058v, 1103k, 1103m, 1151j, 1152t
 SCLERA, tuberculosis 1026e
 SCLERODERMA, 1031v, 1055r; compl. & seq. 1128a
 SCLEROMA, 1134c
 SCLEROSIS, 1178o; amyotrophic lateral 1013h; multiple 1007p, 1012t, 1021i, 1071t, 1131n, 1168a; tuberos 1070i, 1070j
 SCROTUM, wds. & inj. 1191f
 SCURVY, 1058i
 SEATS, 1046j
 SEAWEEDS, 991k
 SEBACEOUS GLANDS, cysts 1055j
 SEBORRHEA, ther. 1008o
 SEDORMID, tox. 1008s
 SEMEN, 1081u
 SEMILUNAR CARTILAGES, cysts 1023v
 SENSATION, disord. 1017k, 1167s
 SEPTICEMIA, 1159s; etiol. & pathogen. 1004v, 1159h; ther. 1070t
 SERINE, eff. 1043e
 SEROTHERAPY AND HEMOTHERAPY, 1067i
 1144o; autogenous 989b
 SEROUS MEMBRANES, tuberculosis 1124w, 1174a
 SERUM, immune 1066u, 1106u; tox. 1066u
 SEWAGE, 1031k, 1031l, 1031m; disposal & purification 1030a
 SEX, 989v; determ. 1019-l; perversion 1184r; ratio 1019r
 SHELLFISH, 1104g, 1147v
 SHOCK, 1055w, 1112g; exper. 1142t; surg. 1012g, 1018w, 1070q, 1072r, 1073w, 1122u, 1161p; therapeutic 997o, 1016k, 1018-l, 1023d, 1024r, 1024s, 1074t, 1088e, 1088f, 1111s, 1130t, 1131b, 1131i, 1131p, 1138o, 1138t, 1139a, 1139b, 1160w, 1179k, 1179t
 SHOES, 1014r
 SHOULDER, dis. 1125t; disloc. 1036o, 1115w, 1170m; innerv. 1024v; pain 1086k, 1086-l, 1086n, 1086o, 1129p; pathol. 1117c
 SIGMOID, cancer 1033d; surg. 1120n
 SILVER, nitrate 1114m
 SINUSES, NASAL, dis. 1054v; inflamm. 1134t, 1170q
 SKIN, 1003k; abnorm. 988g; anat. & histol. 1019o, 1059e, 1145k; atrophy 988j, 1076b; cancer 988u; dis. 988h, 999q, 1000v, 1055j, 1055n, 1078r, 1115i, 1118c, 1171k; inflamm. 1120d; pathol. 1179u; permeability 1093-l, 1093p; reactions 988h, 1189e; temperature 1046v, 1051w, 1093r, 1096m, 1105a, 1192c; transp. 1010u, 1039h, 1038i, 1181o; tuberculosis & tuberculids 1003w, 1055-l, 1070n, 1074b; wds. & inj. 1061n
 SLEEP, 1082g, 1116k
 SMALLPOX, 1017c; ther. 1185h; vaccination 1084e, 1087e, 1153m
 SNAKES, 1176i; bites 1168g
 SOCIAL SECURITY, 1007i, 1111e
 SOCIAL SERVICE, 1029a, 1029v, 1029w, 1179n, 1185e
 SODA LIME, eff. 1007r
 SODIUM, bicarbonate 994c, 1126w; chloride 987s; glutamate 994b; metab. 1046u, 1083c
 SOIL, microbiology 991o
 SOLVENTS, 990s; tox. 1163f
 SOUNDS, 992p, 1028a, 1048p, 1089w, 1142j, 1151v
 SOYBEANS, 993a
 SPACE, perception 1103t, 1192r
 SPASM, ther. 1127j
 SPECIMENS, 1153u
 SPECTROMETERS, 993g
 SPECTRUM ANALYSIS, 1100g
 SPEECH, 1192s, 1192t, 1192v; defects 1088c
 SPERMATIC CORD, torsion 1014e, 1014-l, 1082d; tumors 1172m
 SPERMATOZOEA, 995b, 1152j, 1153d
 SPHINCTER MUSCLES, Oddi's 1033s, 1186q
 SPINAL CANAL ROENTGENOGRAPHY, 1131u, 1177r
 SPINAL CORD, embryol. 1099h, 1145o, 1145q; tumors 1025h, 1037h; varix 1014g
 SPINAL PUNCTURE, 1088p
 SPINE, arthritis 1016c, 1040o, 1179b; cancer 1006c; curvature 1013q, 1044o, 1070v; fract. 1086h; intervertebral disks 1009d, 1020u, 1025b, 1066o, 1156o, 1177r; osteomyelitis 1115j; pathol. 1032d; roent. 1032c, 1095n, 1140c; surg. 1129b; tumors 1017s, 1086h
 SPIROCHAETA, 1017g, 1173b
 SPIROCHAETA PALLIDA, 1191t
 SPIROCHETOSIS, 1123-l; compl. & seq. 1008j; diag. 1134i, 1165n; icterohemorrhagic 1061s; ther. 1162c
 SPLANCHNOPTOSIS, 1035o
 SPLEEN, 1021-l, 1041v; abscess 1017p; cysts 1000e; dis. 1037r; inflamm. 1021t; pathol. 1091b, 1110b, 1159j; puncture 1017j; rupt. 1159u; sarcoma 1112u; tumors 1169m
 SPLENECTOMY, 1028q; indications 1125m
 SPLENOMEGALY, 1004k, 1018e, 1020h, 1162f, 1183g; compl. & seq. 1063-l
 SPLINTS, 1014e, 1065m
 SPRUE, 1065g, 1110q, 1159-l, 1162i; etiol. & pathogen. 1023e; ther. 1063s
 SQUIRRELS, parasites 1108c
 STAINS AND STAINING, 1153u, 1153w; methods 991f, 1153p, 1153q, 1153s, 1153t, 1153v; vital 1153o
 STAPHYLOCOCCI, 1007c; infect. 1034u
 STARCH, 1148d
 STERILITY, 1081w, 1105k, 1111g, 1114s, 1161f; surg. ther. 996f; ther. 1060m, 1067m, 1069e, 1125v
 STERILIZATION, sexual 1154j; surg. 1036g, 1066-l, 1111b, 1192m
 STERNUM, disloc. 1129b; tuberculosis 1122p
 STEROIDS, 1185v; eff. 990a; metab. 1047i
 STILBAMIDINE, ther. 1018g
 STIMULATION AND STIMULI, 1099r
 STOMACH, abnorm. 1010a; acidity 1112o, 1127o, 1147n, 1168g; cancer 1004m, 1007v, 1010r, 1018q, 1021r, 1023p, 1038q, 1123j, 1147a, 1168g; cardio-spasm 1004h, 1014u, 1159q; function tests 1176q; hemorrh. 1073e, 1080t, 1171s; inflamm. 1143j; motility 999w, 1122m; mucosa 1016d, 1020-l, 1140k, 1172p, 1186-l; physiol. 1116h, 1151u, 1189s; rupt. 1062m; sarcoma 1177r; secretion 999w, 1004c, 1162-l; surg. 1003c, 1020t, 1033t, 1037o, 1038r, 1072q, 1079o, 1112q, 1116q, 1122m; syphilis 1077q; tumors 1007v, 1036v
 STOMATITIS, 1054-l; gangrenous 1101o; parasitic 1182m
 STOMATOLOGY, 1076s
 STRABISMUS, 1026-l; ther. 1014q, 1180a
 STREPTOCOCCI, 1000g; hemolytic 1053r, 1134j, 1135-l; lactis 1152m
 STREPTOLYSIN, 1164f
 STREPTOMYCIN, 1007c, 1061h, 1084a, 1108q, 1118-l, 1166i, 1172r; antagonists 1098a; eff. 1014f, 1016f, 1127g; resistance 1135r, 1174o; ther. 1006n, 1009f, 1016i, 1039i, 1055n, 1070h, 1076o, 1116q, 1162m, 1170p; tox. 1073d, 1092o; tuberculosis ther. 997h, 1008h, 1023o, 1035i, 1042w, 1043b, 1043r, 1065a, 1068w, 1069c, 1070n, 1071f, 1090h, 1108t, 1109n, 1110k, 1118v, 1120c, 1124g, 1125p, 1160o, 1162n, 1166p, 1167i, 1170d, 1173-l, 1174a
 STRIAE, 1059-l
 STRONGYLOIDOSIS, 1044u, 1065i
 STROPHANTHUS AND STROPHANTHUS PREPARATIONS, eff. 1116n

- SUBMAXILLARY GLAND, 990c**
SUBTOSAN, 1187a
SUGARS, 992d,1147a; determ. 992b
SUICIDE, 1018o,1125w,1142j
SULFHYDRYL COMPOUNDS, 1147-1
SULFIDES, 1096m
SULFONAMIDES, 1052i,1113m,1115d,1126k,1128-1, 1189i; eff. 1008-1,1014f,1056a; ther. 1007p, 1013r,1016j,1060t,1071s,1092u,1143j; tox. 1008t, 1009f,1165t
SULFONES, ther. 1157c
SULFUR, 1018e,1057i; determ. 987k
SURAMIN, 1148c
SURGEONS, 1024c
SURGERY, 1037a,1125o; appar. 1158q; blood in 1048f; hist. 1142r; in Finland 1067r; operating rooms 1083i; plastic 1024f,1038a,1117b,1159s, 1187m; postop. care 1010p,1032p,1032q,1073r, 1114q,1141v,1191-1; postop. compl. 1006t,1045b, 1142d,1176t,1187c,1191k; preop. care 1032q, 1191-1; progr. 1171i
SUTURES, 1007b,1007c,1034a,1034i,1035u,1038b, 1077p,1121t
SYMPATHECTOMY, 1012v,1141t,1168q,1188c; lum- bar 1020p
SYMPHYSIS PUBIS, 1002u; surg. 1105t
SYNOVIAL MEMBRANE, 1083w; tumors 1014h, 1066h
SYPHILIS, 997i,1008u,1009v,1030q,1031h,1058-1, 1178c; compl. & seq. 1062w; congen. 1045j, 1177w; diag. 1076g; imm. 1191t; in inf. & child. 1045q; penicillin ther. 1013u,1045p,1045t, 1075h,1191u; pregn. & syphilis 1033b,1077t; prev. & control 1075f,1144e,1144f,1144r; reinfection 1084h; serodiag. 1045k,1045n,1144k,1144m; ter- tiary 1131a; ther. 1000h,1006e,1041i,1045u,1160t, 1175v; trans. 1002j
SYRINGE, 993j,1111b
SYRINGOMYELIA, 1025a,1095p
TABLETS, 1184j
TAKATA TEST, 1003h
TALC, 1033m,1062h
TAPEWORM INFECTION, ther. 1031e,1031f
TASTE, 1093q
TATTOOING, 1187o
TEETH, 1090r,1101r,1150u; abnorm. 1050d,1149f; anat. & histol. 987w,1100p,1149g; apicoectomy 1149n,1149t; biochem. 1053b,1101g,1104n,1150s, 1150t; caries 1048a,1100r,1101a,1101d,1103d, 1117e,1134-1,1148w,1149i,1150n,1150o,1150r; dis. 1150o,1178a; extraction 1054u,1072a,1100n; fillings 1149b,1149o,1149s,1150j; fract. 1091-1, 1149s; hyg. 987s,1139k; impacted 1149-1; maloc- clusion 1149r; occlusion 1100q,1100t,1149a; prosth. 1054i,1101k,1101-1,1101q,1149g; pulp- less 1149n; roent. 1101f
TELEPATHY, 1058c
TEMPERATURE, 994q,1003b,1041o,1058d,1068e, 1069g,1138f
TEMPERATURE, BODY, 1009b,1040m
TEMPORAL BONE, surg. 1134a
TENDONS, rupt. 1024a; sheaths 1077c,1122q,1128u; transpl. 1010d; wds. & inj. 1117n
TESTES, abnorm. 1006j,1018p; inflamm. 1191n; pathol. 1176h; prep. 990c; tumors 1044o,1091m; undescended 1076f,1123b,1123i
TETANUS, 1042q,1126f; imm. 1019e; ther. 1006p
TETANY, 1036j,1162o,1182p; etiol. & pathogen. 1132r
THALAMUS, surg. 1120g
THALLIUM, tox. 1110v
THEOBROMINE, 1092d
THEOPHYLLINE, ther. 1045d
THERAPEUTICS, 1018a,1084n,1086b,1113h
THERMOMETERS, 993j
THIAMINE HYDROCHLORIDE, 1079f; ther. 1022-1
THIAZOLES, eff. 1173u; ther. 1021p
THIOCYANATES, eff. 990h
THIOSEMICARBAZONES, 1027i,1027j
THIOSULFATES, 1162s
THIOUREA, 993u,1106s,1168a; eff. 1056i,1068d, 1069d; ther. 1121o,1172a,1173q; tox. 990m, 1064v
THORAX, abnorm. 1037w,1077v; dis. 1010o,1012r, 1066a,1118a; exam. 987a; paracentesis 1114n; roent. 1043d,1043q,1096a; surg. 1010o,1085k, 1140v,1142t,1158q,1161q,1188w; tuberculosis 1074m; wds. & inj. 998j,1012e,1020n,1033i,1075e
THREONINE, 1148n
THROAT, 1158p; infect. 1087v,1134j
THROMBIN, 1008a
THROMBOPHEBITIS, 999q,1032j,1036i; compl. & seq. 998j,1177f; diag. 1165f
THROMBOSIS, 999b,1070d,1085o,1119t,1189b; cerebral 1087g; coronary 1113v; postop. 1158m; sinus 1180h; ther. 1012v,1022j,1111i,1162f
THYMUS, 986b,1172-1; excis. 999u,1021g,1034p; tumors 1091k
THYROID, 990b,994a,1078e,1084r,1102f,1145f, 1178u; abscess 1004j; cancer 1102i,1102j; dis. 1031b,1036b,1102f,1102i,1127d,1166d; eff. of re- moval 1036j; excis. 1145g,1145h; function tests 1038e; hyperthyroidism 1015n,1037m,1041d, 1068d,1102h,1102m,1105i,1109e,1110-1,1115k, 1121o,1142e,1158n,1171v,1171w,1172a,1172b, 1172c,1172d; hypothyroidism 989n,1172d; in- flamm. 1001r; metab. 1153-1; physiol. 990h, 1102d,1126v,1148g; prep. 985k,990c,1171u; sar- coma 1102-1; surg. 1034f,1102g,1102-1; tumors 1080j,1119i
THYROXIN, 992k,1102e; eff. 1145g,1145h
TIBIA, deform. 1079b; fract. 1023v,1036p,1037v, 1066t; tuberosity 1018t
TIC, 1130m
TICK FEVERS, 1083k
TICKS, 1009n,1030m
TIN, 1062g
TINEA, versicolor 1055q
TINNITUS, aurium 1181m
TISSUE, 1091d; culture 1107v,1145k,1146n,1148r, 1153b; respiration 1056d,1056p,1148-1; sections 1150u,1153r
TOBACCO, 1017g,1027r,1079u,1150-1,1150m
TOLSEROL, ther. 1013h
TOMATOES, 1029p
TONGUE, anat. & histol. 1157u; dis. 1054-1,1076r, 1089p; surg. 1181h; tumors 1181o
TONSILLECTOMY, compl. & seq. 1181n
TONSILLITIS, 1062t
TONSILS, lingual 1134b; tuberculosis 1134m
TORTICOLLE, 1087o,1174m
TOWN PLANNING, 1030a,1030e
TOXIN AND ANTITOXIN, 1097p,1098g
TOXOPLASMOSIS, 1135o,1135p; diag. 1135u; etiol. & pathogen. 1107t
TRACHEA, strict. 1139w; wds. & inj. 1035v
TRACHOMA, 1063i; etiol. & pathogen. 1132a; in Finland 1112w; prev. 1118m
TRANSPLANTATION, 1117j,1153c
TRAUMA, 1005w,1012k,1108-1,1117b,1156p; compl. & seq. 1143d,1161e
TREMOR, 1018n
TRICHLOROETHYLENE, 1061n
TRICHOCEPHALIASIS, 1163j
TRICHOMONIASIS, ther. 1119a; vaginal 1085e
TRICHOSTROGYLOSIS, 1065i
TRICUSPID VALVE, 999-1
TRIHEXYPHENIDYL, 1005d

- TROCAR, 1045a
TROMEXAN, 1016v
TROPICAL MEDICINE, 1107h; dis. 1042h, 1047b
TRYPAEOMASIA, 1181f
TRYPAEOMIASIS, 1094q, 1094r, 1189r; epidemiol. & statist. 1189p
TRYPTOPHAN, 995s, 1057n, 1104q; metab. 1132-1
TSETSE FLIES, 1030f
TSUTSUGAMUSHI DISEASE, 1127t; ther. 1183-1
TUBERCLE BACILLI, 1011p, 1043e, 1057r, 1084a, 1190n; culture 1016f, 1020d, 1166f
TUBERCULIN, 1043o, 1086d
TUBERCULOSIS, 993m, 1003j, 1017a, 1023-1, 1042u, 1043g, 1043m, 1110f, 1112c, 1124j, 1139a, 1143r, 1144b, 1172h, 1173k, 1190k; avian 1043b; blood in 1134u; bovine 1073-i; Calmette-Guerin immunization 1030v, 1066n, 1084i, 1084j, 1126u, 1135a, 1135n, 1143v, 1163f, 1174c, 1176n, 1189w, 1190a, 1190b; clinics 1029k, 1071g; diag. 1076k, 1169f; exper. 1123e, 1190h; immun. 1010g, 1190k; in animals 1073m, 1190f; in inf. & child. 1008h, 1069t, 1135-1; military 1043r, 1055-1, 1075o, 1110v, 1120v, 1126u, 1159g, 1169g, 1172i; mortal. 1030v; prev. & control 1003s, 1007m, 1030w, 1042v, 1107h, 1113m, 1125q; streptomycin ther. 1068w, 1073d, 1106t, 1109n, 1110k, 1118v, 1122p, 1160o, 1161k; surg. in 1120v; teeth in 1150o; ther. 1027f, 1029r, 1092j, 1171m, 1173d; tuberculin reactions 1008c, 1018w, 1043a, 1123r, 1190n, 1190b, 1190c; urine in 1043-1
TUBERCULOSIS, PULMONARY, 1011p, 1023q, 1043o, 1107h, 1113u, 1143e, 1143f, 1173c, 1174o, 1179k, 1190c; artif. pneumothorax in 1043s; compl. & seq. 1063p; diag. 1064r, 1071g; epidemiol. & statist. 1110s, 1190d; roent. 1032d, 1043n, 1190g; streptomycin ther. 1042w, 1071f, 1162n; surg. ther. 1024e, 1035j, 1042s, 1042t, 1069t, 1169o, 1170d, 1190e; 1041c, 1107j, 1120c, 1124n, 1143f, 1144a
TULAREMIA, exper. 1056g; ther. 999n
TUMORS, 1035e, 1044d, 1070g, 1109t, 1146q; adenoma 1025e, 1080j, 1088t, 1119i, 1122n, 1140d, 1186q; angio blastoma 1175n; anglioma 1016s, 1017s, 1039q, 1084w, 1091k, 1114f, 1124s, 1128e, 1169m; 1176n, 1190p; angioneuroma 1125k; cholesteatoma 1032n, 1090c; dermoid 1170e, 1177p; diag. 1162v, 1165i; Ewing's 1073v; exper. 1051m, 1146k, 1146p, 1146q, 1146u, 1146v, 1147c, 1147e, 1147f, 1176g; fibroma 1060n; fibromyoma 1154n; glioma 1037e, 1059o, 1091e; hypernephroma 1158p; lipoma 1037i, 1054m; lymphoblastoma 1010n; lymphoma 1132u; melanoma 1022b, 1032c, 1038t, 1105p, 1168s; mesodermal 1114f; metastases 1008k, 1106p, 1180t; myeloma 1018g, 1109h, 1119d, 1167g; myeloplaxoma 1034c, 1128g; myolipofibroma 1127a; myoma 996k, 1059m; neurinoma 1130r; oligodendroglioma 1025h; osteoma 1181o; papilloma 1008p, 1025f, 1090d; pheochromocytoma 1033k; plasmocytoma 1088h; polyp 1006c, 1037g, 1067u, 1071j, 1089s, 1172p; radiother. 1072c; seminoma 1060b; spongioblastoma 1091e; surg. 1025e; teratoma 1091m, 1091u; ther. 1125j, 1185u; thymoma 1001t
TURPENTINE, tox. 1005i
TWINS, 1065j, 1105w; abnorm. & deform. 1065k, 1182n
TYPHOID, 1001v, 1077o, 1083j; blood in 1021q; compl. & seq. 1066m; immun. 1121g; ther. 1007p, 1017k, 1064n, 1078b, 1116w, 1118n, 1122s, 1178t
TYPHUS, 1067h, 1120n, 1183h; epidemiol. & statist. 1068v; pathol. 1048j
TYROSINE AND TYROSINE COMPOUNDS, 1067r
ULCERS, 1188p; ther. 1013b, 1040r; tropical 1023h, 1030g
ULTRAVIOLET RAYS, 1058k, 1078a; ther. 1072t
UNDULANT FEVER, 1110t; blood in 1068j; compl. & seq. 1013d, 1120d; diag. 1079e; ther. 1016j, 1031c, 1114b, 1124q
URANIUM, 1152h; determ. 1103q
UREA, 1021f, 1103h, 1182k; ther. 1133m
UREMIA, 1001h, 1019b
URETERS, 1072e, 1095w; abnorm. 1066v; cancer 1044n, 1190s; catheterization 1188j; strict. 1044d; surg. 1035g, 1035h, 1044o, 1106o, 1143b, 1143d, 1190t
URETHANE, 1008a; eff. 1051n; ther. 988u, 1124t, 1189n; tox. 1176g
URETHRA, 1044e; anat. & histol. 1105j; calculi 1044s, 1044w, 1096r; cancer 1191e; diverticula 1044-1, 1191b, 1191c; inflamm. 1045p, 1191d; prolapse 1175k; strict. 1114o; surg. 1044r
URINARY TRACT, 1059u; dis. 1044u; infect. 1096r, 1189g, 1191i; tuberculosis 1068a
URINATION, disord. 1005e, 1045b, 1065w, 1171q; incontinence 1038i, 1060a, 1106i, 1191e
URINE, amino acids 1043j, 1043-1; aminosalicic acid 1007f; calcium 1163o; magnesium 1163o; mercury 1156k; penicillin 1075-1; phosphate 1108m; porphyrin & porphyrin compounds 1148g; pregnandiol 1059u; steroids 1096v; streptomycin 1163j; sugar 1148o, 1165s; suppression 1106b, 1154p
UROLOGY, 1044b, 1085q; hist. 1161a; progr. 1171-1
URTICARIA, pigmentosa 1182b
UTERUS, abnorm. 1172-1; cancer 996n, 997i, 1023p, 1023c, 1072i, 1186w; contractions 1080c; curettage 1059v, 1060f; dis. 996h; excis. 1044e, 1069r, 1120r; fibromyoma 997k, 1154n; gangrene 1154p; hemorrh. 996w, 1000q, 1011j, 1013f, 1064r, 1106d, 1113o; hydatiform mole 1040g, 1059p, 1106f; inflamm. 1109s; myoma 1059m; perf. 1040g; physiol. 996o, 1105-1, 1147k; pyometra 996s, 997m; roent. 997f, 997h, 1060n; rupt. 1022m, 1032w, 1040g, 1106i; surg. 1010w, 1060-1; tamponade 1013f; torsion 997j; tuberculosis 1173-1; tumors 1059o, 1060n, 1082n, 1127a
UTERUS, CERVIX, cancer 1059w, 1066d, 1188u; physiol. 1106-1; tuberculosis 1106h
VAGINA, abnorm. 1017v; dis. 1060h; exam. 1109u; hemorrh. 1007f; pathol. 1170u; secretion 1060k, 1120-1, 1160k; tumors 1082n
VAGOTOMY, 1000s, 1035e, 1035c, 1035m, 1122m, 1186-1, 1187e
VARICOCELE, 997j, 1186u
VARICOSE VEINS, 1161h; surg. ther. 1006o; ther. 1065p, 1115s
VASOMOTOR SYSTEM, 1192c; dis. 1012k; eff. of drugs on 1027p, 1092f
VATER'S AMPULLA, 997k
VEGETABLES, in diet 1025m; vitamin content 1104m
VEINS, dilat. 1168u; femoral 1032j, 1188k; jugular 1168u; obstruct. 1040d; pulmonary 1140a; saphenous 1038-1, 1142i, 1159s; spermatic 1186u; surg. 1047h; transpl. 1000j
VENAE CAVAE, 1164n
VENEREAL DISEASES, 1045i, 1045j, 1191r; clinics 1045s; epidemiol. & statist. 1124p; hist. 1045h, 1144q; prev. & control 1191r; ther. 1144o
VENOM, 985w, 1041p, 1127j; eff. 994d, 1142p
VERATRINE, tox. 1183o
VERRUCA, ther. 1044j
VERTIGO, aural 1036t, 1072t, 1133a, 1133t, 1180j
VETERANS, 1028g; rehabilitation 1040v
VETERINARY MEDICINE, 1073g, 1073h, 1073k, 1073n
VINYL COMPOUNDS, 989-1
VIRUSES, 993o, 1005k, 1029f, 1145t, 1152d, 1153g, 1164q, 1172w; culture 1153m; dis. 994j, 1073j, 1139p, 1145u, 1145v, 1182v

VISCERA, blood supply 1035a; innerv. 1050a; pain 1187u
 VISION, 1089k, 1089-l; acuity 1089j; conservation 1156j, 1181e; defective 1161h, 1179r, 1181a; physiol. 1089e, 1100b, 1104u; stereoscopic 1026g
 VITAL CAPACITY, 1015v, 1050r
 VITAL STATISTICS, birth rate 1113c; mortal. 1139q
 VITAMINS, 1002t, 1065g, 1123s, 1174e; ther. 1041k, 1079n
 VITAMINS, A, 1125c, 1132n, 1184j; defic. 1078r; metab. 1148e; tox. 1058i
 VITAMINS, B 1053i, 1138v, 1160b, 1184f, 1189e; defic. 1066i; metab. 1056n; ther. 1132m
 VITAMINS, B₁₂ 1053b, 1054-l, 1055a, 1136q, 1148m, 1171f
 VITAMINS, C 990j, 992o, 1025-l, 1058j, 1104m, 1147q, 1150r; metab. 1056n; tox. 990-l
 VITAMINS, D eff. 1019c; ther. 988t, 1157c
 VITAMINS, E 1113q; defic. 989o, 992t, 1093o; ther. 1086p
 VITAMINS, K 1134-l
 VITREOUS HUMOR, 1026f, 1026i
 VOCATION, 1130j; guidance 1061a; tests 1185a
 VOMITING, 1135c; in inf. & child. 1071-l
 VULVA, cancer 1123o

WAR, 1127u; civilian protection 1000r; nutrition & food supply 1167f
 WATER, exam. 1050o; metab. 1034b, 1067p, 1163-l; mineral 1065q, 1109v; pollution 1115g; purification 1041t; supply 1030s, 1096m, 1103j
 WEEDS, 1176u
 WEIGHTS AND MEASURES, 987g, 987m
 WHEAT, 1085f
 WHOOPING COUGH, bact. 1019s; diag. 1124a; immun. 1135s; ther. 1070h; vaccine 1114i
 WINE, 1057q
 WORKMEN'S COMPENSATION AND INSURANCE, 1061h, 1125a, 1156q
 WORLD HEALTH ORGANIZATION, 1164d
 WORMS, 1153s
 WOUNDS, gunshot 1111v; healing 1039h, 1133h; infect. 1039i
 WRIST, abnorm. 1080t; deform. 1095p; fract. 1036h
 XANTHOMA, 1033-l
 XANTHOPHYLL, 1098k
 XYLENE, metab. 1148f
 YAMS, 1029g
 YEAST, heredity 1104f
 ZIRCONIUM, 1039p
 ZOOLOGY, exper. 1051c

n
3-1;
ca-
m-
E,
in-

The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price. \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents

Published weekly by the **ARMY MEDICAL LIBRARY**, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.